

## INDEX

### 1961 TECHNICAL PAPERS AND COMMITTEE REPORTS

The 1961 Proceedings Index is a combined author-subject index with authors' names appearing in boldface type.

#### KEY TO ABBREVIATIONS USED IN INDEX

*STP* = *Special Technical Publication*.  
*MR&S* = *Materials Research & Standards*.  
*Comp.* = *Compilation of ASTM Standards*.  
*(R)* = *More than 10 references*.  
 Names in parentheses = *Authors of papers*.  
 \* = *Published as a separate publication*.

#### A

Ablation, reinforced plastics pierce heat barrier (Perry), *MR&S*, Feb., 122.

Abrasion, textiles. Report of Committee D-13, 534.

Abstracts. *See* Bibliographies and abstracts.

Accuracy

how to evaluate (Youden), *MR&S*, April, 268.

meaning (Murphy), *MR&S*, April, 264.

problems at rapid rates of mechanical testing (Fenn, Jr., and Moore), *MR&S*, Oct., 804.

**Achter, M. R.:**

discussion, 756.

*see* Danek, G. J., Smith, H. H., and Achter, M. R.

*see* Reuther, T. C., Shahinian, P., and Achter, M. R.

Acoustical materials. Report of Committee C-20, 449.

Actions on standards, *MR&S*, Feb., 127; April, 310; May, 401; Aug., 661, 667; Oct., 814; Dec., 994.

**Adair, A. M.,** *See* Hook, R. E., et al.

**Adam, L. H., and Dougherty, M.:** Atmospheric exposure of wrought aluminum and magnesium alloys (Appendix III), Report of Committee B-7, 302.

**Adam, Verdi:** Effects of viscosity in bituminous construction. Summary of *STP* 309, 1306.

Additives, gasoline, motor (Demster). Summary of *STP* 298, 1427.

Adhesives

organic, for setting ceramic tile (Fitzgerald, Wagner, and Bernett), *MR&S*, March, 196.

report of Committee D-14, 545.

Administrative Committee on Research

highlights of research committee meeting, *MR&S*, Sept., 734.

mission of ACR (ACR notes) (Dolch), *MR&S*, Jan., 49.

Advanced Research Projects Agency (ARPA), *MR&S*, Aug., new contracts for materials research, 666.

Aggregates

coarse, Los Angeles abrasion test (Goode and Owings). Summary of *STP* 309, 1306.

concrete. Report of Committee C-9, 413.

degradation during and following construction (Goode and Owings). Summary of *STP* 309, 1306.

Aging

effect of temperature on air aging of rubber vulcanizates (Juve and Schoch, Jr.), *MR&S*, Aug., 542

test. Report of Committee D-11, 523.

Air-borne contaminants

air filters, electrostatic and high-efficiency impingement (Helmke). Summary of *STP* 300, 1429.

dust monitoring (Whitfield, Marsh, and Kodel). Summary of *STP* 300, 1429.

particle size distribution and identification (Allison). Summary of *STP* 300, 1429.

particulate concentrations (van Luik). Summary of *STP* 300, 1429.

transistor process environments (Smith and Manns). Summary of *STP* 300, 1429.

Air-flow. *See* Permeability and Asphalt.

Air environment, creep-rupture behavior of Hastelloy-X (Donachie, Jr., and Shephard), 981.

Air entrainment, standard Ottawa sand (discussion), *MR&S*, Feb., 111; Oct., 801.

- Air permeability. See Permeability.
- Airoldi, E., see della Porta, P., and Airoldi, E.
- Aitken, E. A.: Some comments regarding sintering characteristics in a radiation environment. Summary of *STP 306*, 1425.
- Alai, John A.: Testing procedures for model footings and presentation of TRADEX site data. Summary of *STP 305*, 1305.
- Albee, D., see Smith, G. M., and Albee, D.
- Allison, Fred: Size distribution and identification of air-borne particulates. Summary of *STP 300*, 1429.
- Alloys
- high-strength sheet, temperature effects on notch strength (Weiss and Sessler). Summary of *STP 302*, 1026.
  - impurities detection with electron probe (Birks and Seebold). Summary of *STP 308*, 1028.
  - nickel-chromium, Inconel, compression and buckling (Dubuc and Welter). Summary of *STP 303*, 1027.
  - nickel-iron in etchants, emf studies (Feder, Howden, Huff, and Richards). Summary of *STP 300*, 1429.
  - physical properties from cryogenic to elevated temperatures (Eldridge and Deem). See *STP 296*.
  - sheet for cryogenic tanks (Espey, Jones, and Brown, Jr.). Summary of *STP 302*, 1026. see also under name of specific metal.
- Aluminum
- alloy, dynamic modulus measurements (Hill, Shimmin, and Wilcox), 890. Disc., 906
  - alloy, fatigue propagation (Holshouser and Utech), 740 (R). Disc., 755.
  - alloy, measurement of strain components (Theocaris), 838 (R).
  - alloy. Report of Committee B-3, Appendix I, 205.
  - wrought, atmospheric exposure (Adam and Dougherty) (Appendix III, report of Committee B-7), 302.
  - effect of section size on notch properties (Klier and Weiss), 1307 (R).
  - fatigue resistance of aluminum alloys by mechanical surface prestressing (Butz and Lyst), *MR&S*, Dec., 951.
  - from clay (random samples), *MR&S*, June, 490.
  - report of Committee B-7, 282.
- Ames, D. P., see Irani, R. R.
- Ames, S. L.: Some effects of section size and testing condition on the tensile properties of Zircaloy 2 at 600 F, 820. Disc., 829.
- Analysis
- chlorides in gypsum (Surkevicius), *MR&S*, Aug., 624.
  - glycol in crankcase oils (Jordan), *MR&S* Jan., 30.
  - gypsum and dehydration products in mixtures (McAdie and Kuntze), *MR&S*, Jan., 27.
  - identification and quantitative determination of natural and manufactured fibers (Praeger) *MR&S*, May, 381.
  - organic carbon on surface of steel sheets (Boggs and Pellissier), *MR&S*, Aug., 627.
  - planned experiments (Terry), *MR&S*, April, 273.
  - undissolved water in fuels (Gardner and Topol), *MR&S*, Feb., 112.
- Analytical methods
- detection of inorganic contamination (Schimmel). Summary of *STP 300*, 1429.
  - electrode potential, emf-time studies (Feder and Jacob). Summary of *STP 300*, 1429.
  - electrode potential, emf studies of nickel-iron alloy in etchants (Feder, Howden, Huff, and Richards). Summary of *STP 300*, 1429.
  - electron beam microanalyzer (Hayes). Summary of *STP 300*, 1429.
  - gas-phase proportional counting (Stern). Summary of *STP 300*, 1429.
  - radioisotope tracer technique (Bulat). Summary of *STP 300*, 1429.
- Angeloni, Francis M., see Klaus, E. Erwin, Angeloni, Francis M., and Fenske, Merrill R.
- Antifreezes, engine. Report of Committee D-15, 549.
- Antiknock
- coordinating Research Council's work (Gibson and Wilson). Summary of *STP 298*, 1427.
  - see Knock.
- Appearance. Report of Committee E-12, 649.
- Arc sealing, borosilicate glasses (Liebson). Summary of *STP 300*, 1429.
- Artificial soils (Selig and Rowe), 1288.
- Asbestos-cement products. Report on Committee C-17, 442.
- Ashton, H. E.: Measuring specific gravity of viscous materials, *MR&S*, July, 549.
- ASME Boiler and Pressure Code, creep and rupture correlated with tensile data (Moon and Simmons), 938.
- Asphalt
- air permeabilities of concrete (Hein and Schmidt). Summary of *STP 309*, 1306.
  - concrete wearing course mixtures (Goode and Owings). Summary of *STP 309*, 1306.
  - content variation (Keyser and Gaudette). Summary of *STP 309*, 1306.
  - filler systems, rheology (Winniford). Summary of *STP 309*, 1306.
  - hot-mix concrete, viscosity of asphalt cements (Adam). Summary of *STP 309*, 1306.
  - temperature susceptibility of bitumens, *MR&S*, Dec., 981.
  - viscosities, changes during tests (Halstead and Zenewitz). Summary of *STP 309*, 1306.
  - viscosity measurement (Heithaus). Summary of *STP 309*, 1306.
  - volume measurement by Calresearch pavement density method (Santucci and Schmidt). Summary of *STP 309*, 1306.
  - see Papers on road and paving materials and symposium on microviscometry. Summary of *STP 309*, 1306.

- Astatine, new facts from obscure element (materials sciences), *MR&S*, Oct., 819.
- ASTM
- Annual Meeting, Sixty-fourth, summary, 1.
  - ASTM abroad, *MR&S*, Nov., 886.
  - ASTM for the future (President's address) (Bates), *MR&S*, July, 555.
  - awards and medals, *MR&S*, March, 224; July, 570.
  - awards of merit, *MR&S*, July, 567; of fellowship, doctoral, *MR&S*, March, 214; Aug., 665.
  - DeWitt Smith medal, *MR&S*, March, 224.
  - Board of Directors, Jan. meeting, *MR&S*, March, 203; May meeting, *MR&S*, June 482; Sept. meeting, *MR&S*, Nov., 893.
  - Board of Directors Annual Report, 52. technical activities, 53; national and other meetings, 56; district and related activities, 58; membership, 60; honors and awards, 63; fellowships and grants-in-aid, 64; finances, 64; division of materials sciences, 67; cooperative activities, 68; long-range planning activities, 70; auditors' report for the fiscal year (Appendix I), 73; report on standards (Appendix II), 87; report on research (Appendix III), 94; report on papers and publications (Appendix IV), 95; report on district activities (Appendix V), 99; report on simulated service testing (Appendix VI), 101; report on education in materials (Appendix VII), 102.
  - Committee Week, summary, 45; *MR&S*, March, 207.
  - finances, deficit for 1960 smaller than budgeted, *MR&S*, March, 215.
  - 1960 record of achievement, *MR&S*, Jan., 34.
  - publications, preview, *MR&S*, Oct., 810.
  - Annual Meeting, *MR&S*, Feb., 125; March, 203; April, 293; May, 395; Aug., 645.
  - electroforming to be highlight of Committee Week, *MR&S*, Dec., 989.
  - post-Annual Meeting conference in Bermuda, *MR&S*, March, 204.
  - Spring meeting, summary, 45.
  - Symposium on cleaning and materials processing for electronics and space apparatus, *MR&S*, Sept., 734.
  - symposium on materials and electron device processing, *MR&S*, March, 206; May, 394.
  - tour to Mexico City following Committee Week, *MR&S*, Nov., 890.
- ASTM standards for the establishment of fire endurance testing (Shoub). Summary of *STP* 301, 45.
- ASTM technical committees; adhesives, *MR&S*, May, 398; appearance, *MR&S*, March, 209; asbestos-cement products, *MR&S*, Feb., 126, Aug., 656; atmospheric sampling and analysis, *MR&S*, March, 209; bituminous materials, *MR&S*, March, 211, Aug., 657; Casein, *MR&S*, April, 310, Aug., 659; cast iron, *MR&S*, March, 212; cellulose, *MR&S*, April, 309; cement, *MR&S*, Feb., 126, Aug., 654; ceramic whitewares, *MR&S*, June, 483, Aug., 656, Nov., 898; ceramics for electronics, *MR&S*, July, 576; chemical analysis of metals, *MR&S*, Aug., 659; chemical-resistant mortars, *MR&S*, Feb., 125; April, 308; clay pipe, *MR&S*, Aug., 655; coal and coke, *MR&S*, March, 210; Aug., 657, Oct., 818; concrete, *MR&S*, Feb., 126, Aug., 655; concrete pipe, *MR&S*, Feb., 125, Dec., 991; corrosion of iron and steel, *MR&S*, March, 213; Aug., 654; corrosion of non-ferrous metals, *MR&S*, March, 212; electrical insulating liquids, *MR&S*, May, 399, Aug., 659; Dec., 992; electrical insulating materials, *MR&S*, May, 400; Dec., 991; electrodeposited metallic coatings, *MR&S*, March, 213, Nov., 897; electron tubes and semiconductors, *MR&S*, April, 308, May, 394, Aug., 661, Dec., 992; emission spectroscopy, *MR&S*, Aug., 659; fatigue, *MR&S*, March, 210; fire tests, *MR&S*, March, 208; flexible barrier materials, *MR&S*, April, 307; gas chromatography, *MR&S*, March, 217; glass, *MR&S*, June, 483; gypsum, *MR&S*, March, 212, Aug., 655; halogenated organic solvents, *MR&S*, March, 210, Aug., 659; industrial aromatic hydrocarbons, *MR&S*, April, 308, Aug., 657; industrial chemicals, *MR&S*, March, 210, Sept., 739; industrial water, *MR&S*, April, 309, Aug., 658, Sept., 736; iron-chromium, iron-chromium-nickel, and related alloys, *MR&S*, Nov., 896; joint sealants, *MR&S*, Aug., 656; leather, *MR&S*, Feb., 125, May, 399; lime, *MR&S*, March, 212, Aug., 655; magnetic properties, *MR&S*, March, 216; malleable iron castings, *MR&S*, March, 212; Aug., 654; manufactured masonry units, *MR&S*, April, 309, Aug., 656; metallography, *MR&S*, Aug., 659; metals for thermostats, *MR&S*, May, 398, Sept. 736; methods of testing, *MR&S*, March, 209; mortars for unit masonry, *MR&S*, March, 212, Aug., 655; natural building stones, *MR&S*, Sept., 736; naval stores, *MR&S*, Aug., 657; nondestructive testing, *MR&S*, Aug., 660; nonferrous metals and alloys, *MR&S*, Aug., 654; nuclear magnetic resonance, *MR&S*, July, 576; packaging, *MR&S*, July, 576; paint, *MR&S*, Sept., 736; paper, *MR&S*, Aug., 657; petroleum products and lubricants, *MR&S*, April, 307, Sept., 737; plastics, *MR&S*, May, 398, Aug., 658; Oct., 818; Dec., 991; porcelain enamel, *MR&S*, March, 212, Nov., 899; quality control, *MR&S*, Aug., 660; radioisotopes and radiation effects, *MR&S*, March, 207, Aug., 660; refractories, *MR&S*, March, 211, Nov., 898; road and paving materials, *MR&S*, Aug., 656; rubber, *MR&S*, March, 211, 216; April 310; May, 398, Sept., 737, Dec., 992; sensory evaluation, *MR&S*, March, 208, Sept., 739; Oct., 818; skid resistance, *MR&S*, March, 209; Sept., 739; Nov., 898; soaps and detergents, *MR&S*, April, 308; soils, *MR&S*, Aug., 657; sorptive mineral materials, *MR&S*, Aug., 656; steel, *MR&S*, Aug., 654; testing building constructions, *MR&S*, Feb., 126, Aug., 659; textiles, *MR&S*, Sept., 737; thermal insulating materials, *MR&S*, April, 307; Nov., 898; water,

## ASTM (continued)

MR&S, Sept., 736; wax polishes, MR&S, March, 210; wood, MR&S, March, 217.

## Atmospheric exposure

oleophobic films for protection (Holshouser and Utech), 749 (R). Disc., 755.  
report of Advisory Committee on Corrosion, 387.

tests, *see under specific metal*.

Atmospheric sampling and analysis. Report of Committee D-22, 589.

Atomic Energy Commission, research in metallurgy and materials (materials sciences), MR&S, May, 404.

Austin, A. E., *see* Freas, D. G., Austin, A. E., and Rough, F. A.

Automation, chemical processing (Thomas, Craft, and Koontz). Summary of STP 300, 1429.

Avery, Howard S., discussion, 969.

Aviation fuels. Report of Committee D-2, 472.

## B

Bain, A. S.: The heat rating required to produce central melting in various  $UO_2$  fuels. Summary of STP 306, 1425.

Baker, M. D., discussion, 1419.

Ballard, D. B.: Use of bulge test for determining mechanical properties of stainless steel foil, MR&S, June, 471.

Barnard, Dan P.: Summary. Summary of STP 298, 1427.

Barr, R. Q., Semchyshen, M., and Timmons, G. A.: Room-temperature creep rate of molybdenum and effect of strain rate on the tensile properties of molybdenum, 847.

Base-metal cracking, status report (Appendix I). Report of Joint ASTM-ASME Committee, 378.

Bates, J. Lambert: Voids in irradiated  $UO_2$ . Summary of STP 306, 1425.

Bauer, J.: Scientific methods of wool testing, MR&S, March, 167.

Beachem, C. D., *see* Srawley, J. E., and Beachem, C. D.

Beam furnace at Portland Cement Association (PCA) (Carlson and Tatman). Summary of STP 301, 145.

Bearing creep, determining in sheet metals (Kattus and Lessley), 920. Disc., 930.

Beaton, J. L., *see* Driscoll, D. E., et al.

Begley, R. T., *see* France, L. L., et al.

Behr, R. D., discussion, 755.

Bender, R. O.: Gasoline stability: possible effects of current research on future methods and specifications. Summary of STP 298, 1427.

Bending, cumulative fatigue damage (Manson, Natchigall, and Freche), 679 (R). Disc., 692.

Benedicto, R. L., discussion, 692.

Bernett, E. C., and Gerberich, W. W.: Rapid-rate compression testing of sheet materials at high temperatures. Summary of STP 303, 1027.

Bernett, F. E., *see* Fitzgerald, J. V., et al.

Bernhard, R. K.: Biaxial stress fields in non-cohesive soils subjected to vibratory loads. Summary of STP 305, 1305; Why soil dynamics?, MR&S, Jan., 31.

## Beryllium

dynamic modulus measurements (Hill, Shimmin, and Wilcox), 890. Disc., 906.  
oxide, dielectric heat sinks (Hessinger, Strott, and Haura). Summary of STP 300, 1429.

oxide, ceramics, safe handling (Ferreir). Summary of STP 300, 1429.

water-vapor corrosion (Browne). Summary of STP 306, 1425.

Best, C. H., *see* Polivka, M., et al.

(Beta)  $\beta$  titanium alloy  
fracture toughness-thickness relationship (Bluhm), 1324.

thickness influence on sharp-edge-notch properties (Repko, Jones, and Brown, Jr.). Summary of STP 302, 1026.

Biaxial stress-strain curves for light metals (Markovich and Schwartzberg). Summary of STP 302, 1026.

## Bibliographies and abstracts

electrical contacts, 1960 supplement. STP 56-0.

thermostat metals. *See* STP 288.

Biondi, F. J.: The role of impurities in impurity-dominated electronic materials and devices. Summary of STP 300, 1429.

Birks, L. S., and Seebold, R. E.: Use of the electron probe to measure low average but high local concentrations. Summary of STP 308, 1028.

Birtwistle, R., *see* Waters, E. H., and Birtwistle, R.

## Bituminous mixtures

asphalt content variation (Keyser and Gaudette). Summary of STP 309, 1306.

compatibility—exudation versus insudation (Oliensis), MR&S, Sept., 723.

report on Committee D-8, 510.

temperature susceptibility measurement of asphalt bitumens, MR&S, Dec., 981.

viscosity, in construction (Adam). Summary of STP 309, 1306.

viscosity measurement (Heithaus). Summary of STP 309, 1306.

Blast-furnace slags, spectrochemical analysis (Appendix II). Report of Committee E-2, 624.

Bleakney, H. H.: Intercrystalline cracking and creep rupture life, MR&S, March, 181.

Bleiberg, M. L., Yeniscavich, W., and Gray, R. G.: Effects of burnup on certain ceramic fuel materials. Summary of STP 306, 1425.

Bloem, D. L., *see* Walker, Stanton, and Bloem, D. L.

Bloem, D. L., Gaynor, R. D., and Wilson, J. R.: Testing uniformity of large batches of concrete, 1119 (R). Disc., 1141.

Bloss, R. L.: Evaluation of resistance strain gages at elevated temperatures, MR&S, Jan., 9.

**Bluhm, Joseph I.**

A model for the effect of thickness on fracture toughness, 1324.

A model for the effect of thickness on fracture toughness applied to laminated structures, 1332.

**Boggs, W. E., and Pellissier, G. E.:** Determination of organic carbon on surface steel sheets, *MR&S*, Aug., 627.

Boiler code, ASTM standards in ASME boiler and pressure vessel code (Kloeblen), *MR&S*, Dec., 978.

Boilers, high-pressure, impurities in steam from (Ulmer and Klein), 1396. Disc., 1412.

Bolted joints, creep deformation (Marin), 931. Disc., 937.

**Bonner, F. J., and Gyer, J. F.:** Experiences with a high shear rate rotational viscometer. Summary of *STP* 299, 1428.

**Boone, T. H.,** see Horowitz, E., et al.

**Born, J. W.:** Effects of nuclear radiation on rubber, *MR&S*, April, 280.

**Boor, L.,** discussion, 1348.

**Borofsky, Arnold J.:** Changes in stability of germanium alloy transistors through etching, washing, and encapsulation processing. Summary of *STP* 300, 1429.

**Breindel, W. W., Carlson, R. L., and Holden, F. C.:** Evaluation of a system for compression testing of sheet materials at elevated temperatures. Summary of *STP* 303, 1027.

**Brick**

moisture loss from fresh mortars to brick, (Davison), *MR&S*, May, 385.

moisture penetration and bond strength of brick masonry (Ritchie), *MR&S*, May, 360.

**Bridgeman, O. C.,** see Legatski, T. W., and Bridgeman, O. C.

**Bridgeman, P. W.:** On density and strength (materials sciences), *MR&S*, Jan., 45.

**Brittle fracture**

concrete reinforcing steels (Tarr). Summary of *STP* 302, 1026.

testing (Yukawa). Summary of *STP* 302, 1026.

**Brodnyn, J. G., Gaskins, F. H., and Philipoff, W.:** Correlation between rheological parameters measured in instruments of different geometries. Summary of *STP* 299, 1428.

**Brown, W. F., Jr.,** see Espey, G. B., Jones, M. H., and Brown, W. F., Jr.

**Browne, C. C.:** Water-vapor corrosion of beryllia. Summary of *STP* 306, 1425.

**Brunton, J. H.:** Deformation of solids by impact of liquids at high speeds. Summary of *STP* 307, 1426.

**Buchsbaum, S. J., and Sawyer, G. A.:** The problem of gas purity in plasma physics and technology. Summary of *STP* 304, 1424.

**Buckling, Inconel, temperatures up to 1400 F** (Dubuc and Welter). Summary of *STP* 303, 1027.

Building code, ASTM specifications in south (Clement), *MR&S*, May, 408.

Building construction testing report of Committee E-6, 641.

symposium on testing building construction. Summary of *STP* 312, 1431.

Building materials, heat release in fires (Loftus, Gross, and Robertson), 1336 (R). Disc., 1348.

Building stones, natural. Report of Committee C-18, 444.

**Bulat, T. J.:** Use of radioisotope tracer techniques in contamination studies. Summary of *STP* 300, 1429.

**Burk, F. C.:** Motor gasoline octane test method developments. Summary of *STP* 298, 1427.

**Burmister, Donald M.**

Discussion, 1268.

General discussion. Summary of *STP* 305, 1305.

Burnup, effects on ceramic fuels (Bleiberg, Yeniscavich, and Gray). Summary of *STP* 306, 1425.

Burst test, mechanical properties of stainless steel foil, (Ballard), *MR&S*, June, 471.

**Butz, G. A., and Lyst, J. L.:** Improvement in fatigue resistance of aluminum alloys by surface cold-working, *MR&S*, Dec., 951.

**Byrne, J.,** see Quaglia, L., Byrne, J., and Reyling, G.

## C

Calcium sulfate test in hydrated cement-mortar (Kennedy), 1035. Disc., 1038.

Calorific value. Report of Committee D-3, 487.

Calresearch pavement density method, measuring volume of compacted asphalt concrete (Santucci and Schmidt). Summary of *STP* 309, 1306.

**Capott, R. J.,** see Horowitz, E., et al.

Carbology testing (Hoyt), *MR&S*, July, 546.

**Carbon**

aids for Ramsbottom carbon residue test (Taylor), *MR&S*, Aug., 626.

carbon-14 (materials sciences), *MR&S*, April, 313.

organic, on surface of steel sheets (Boggs and Pellissier), *MR&S*, Aug., 627.

**Carbon black**

Report of Committee D-11, 523.

Report of Committee D-24, 594.

Carbon paper. Report of Committee E-12, 649.

**Carlson, C. C., and Tatman, Phil J.:** The new beam furnace at PCA and some experiences gained from its use. Summary of *STP* 301, 45.

**Carlson, R. L.,** see Breindel, W. W., Carlson, R. L., and Holden, F. C.

Carpets. Report of Committee D-13, 534.

**Carroll, R. M.:** Continuous release of fission gas from  $UO_2$  during irradiation. Summary of *STP* 306, 1425.

**Carwile, N. L.**

see Geil, G. W., and Carwile, N. L.

- Carwile, N. L., Meyerson, M. R., and Rosenberg, S. J.:** Apparatus for controlled slack quenching, *MR&S*, July, 532.
- Casein.** Report of Committee D-25, 595.
- Casings, motor, fractographic analysis (Tiner), 800 (R).**
- Cast Copper, see Copper.**
- Cast Iron, see Iron, Cast.**
- Cathode materials.** Report of Committee F-1, 671.
- noise-tested activation (Dlouhy and Schuetze).** Summary of *STP* 300, 1429.
- report of Administrative Committee on Simulated Service Testing, 101.**
- symposium on erosion and cavitation.** Summary of *STP* 307, 1426.
- see erosion.**
- Cellular plastics.** Report of Subcommittee XX of Committee D-20, 585.
- Cellulose.** Report of Committee D-23, 591.
- Cement**
- air entrainment compressive strength (Walker and Bloem), 1059.**
  - centrifuge test for determining cement content of fresh concrete (Walker, Bloem, Gaynor, and Wilson), MR&S, June, 454.**
  - flexural strength of mortars (Swayze), 1051. Disc., 1057.**
  - fourth international symposium (materials sciences), MR&S, April, 312.**
  - magnesium oxychloride and oxysulfate.** Report of Committee C-2, 398.
  - report of Committee C-1, 391.**
  - mortar, test for hydrated calcium sulfate (Kennedy), 1035. Disc., 1038.**
  - see also papers on road and paving materials and symposium on microviscometry.** Summary of *STP* 309, 1306.
- Cement, portland**
- calcium sulfate test (Kennedy), 1035. Disc., 1038.**
  - grinding aids (Mardulier), 1078 (R). Disc., 1091.**
  - loaded, strain distribution (Keeton), 1197. Disc., 1220.**
  - quick and false set, (Hansen), MR&S, Oct., 791.**
  - slag, replaced by fly ash in concrete (Grieb and Woolf), 1143. Disc., 1154.**
  - sulfate resistance test (Lerch), 1043. Disc., 1049.**
  - method of test for false set (Hansen), 1029.**
  - variations (Walker and Bloem), 1059.**
- Centrifuge test for determining cement content of fresh concrete, (Walker, Bloem, Gaynor, and Wilson), MR&S, June, 454.**
- Ceramics**
- beryllium oxide dielectric heat sinks (Hessinger, Strott, and Haura). Summary of STP 300, 1429.**
  - effect of impurities on properties (Cutler). Summary of STP 304, 1424.**
  - electronics.** Report of Committee C-25, 457.
  - organic adhesives for setting tile, (Fitzgerald, Wagner, and Bennett), MR&S, March, 196.**
  - products.** Report of Subcommittee V of Committee D-9, 517.
  - whitewares.** Report of Committee C-21, 450.
- Ceramic fuel, effect of burnup (Bleiberg, Yeniscavich, and Gray). Summary of STP 306, 1425.**
- Chalmers, Bruce:** The Growth of Ice in Supercooled Water. (Marburg Lecture).\*
- Charpy test**
- effects of variables in impact testing, (Fahey), MR&S, Nov., 872.**
  - impact values (Reymond). Summary of STP 302, 1026.**
  - subsize Charpy correlation with standard Charpy, (Curll), MR&S, Jan., 91.**
- Chemical composition**
- fly ashes, correlation with triangular chart (Appendix II) (Vincent, Mateos, and Davidson), 1118.**
- Chemicals**
- industrial, analysis and testing.** Report of Committee E-15, 662.
  - industrial.** Report of Committee E-15, 662.
  - Chlorides in gypsum, (Surkevicius), MR&S, Aug., 624.**
- Christian, J. L., see Watson, J. F., Christian, J. L., Tanalski, T. T., and Hurlich, A.**
- Chromaphotography**
- gas.** Report of Committee E-19, 667.
- Clapper, R. B., discussion, 937.**
- Clarke, F. E., discussion, 1423.**
- Clay**
- masonry curtain walls, testing (Monk). Summary of STP 312, 1431.**
  - measurement of sensitivity (Eden and Kubota), 1239.**
  - pipe.** Report of Committee C-4, 403.
  - sensitive, shearing resistance (Crawford), 1250 (R). Disc., 1266.**
- Cleaning**
- effects of cleaning on the micromodule (Vossen). Summary of STP 300, 1429.**
  - Germanium alloy, changes (Borofsky). Summary of STP 300, 1429.**
  - noise-tested cathode activation (Dlouhy and Schuetze). Summary of STP 300, 1429.**
  - vapor degreasing handbook. Summary of STP 310, 1432.**
  - See symposium on materials and electron device processing. Summary of STP 300, 1429.**
- Clement, M. L.:** ASTM specifications in southern standard building code, *MR&S*, May, 408.
- Cleveland, A. E., see Risk, T. H., and Cleveland, A. E.**
- Coal and Coke.** Report of Committee D-5, 495.
- Coatings**
- high-temperature molybdenum applications under fatigue (Mittenbergs, Haley, and Williams), 757. Disc., 774.**
  - photoelastic test for strain distribution in concrete (Keeton), 1197. Disc., 1220.**
  - see also under name of specific metal.**
- Coaxial-cylinder viscometer, polymers (Mer-rill). Summary of STP 299, 1428.**

- Cobalt alloy, dynamic modulus measurement (Hill, Shimm, and Wilcox), 890. Disc., 906.
- Cobb, R. V., and Coulter, E. E.:** The prevention of errors in steam purity measurement caused by deposition of impurities in sampling lines, 1386.
- Cochran, J. S.,** *see* Gerhart, J. M., Siltanen, J. N., and Cochran, J. S.
- Codification  
light metals and alloys (Appendix II), Report of Committee B-7, 300.  
report of Committee B-7, 282.
- Coke, *see* Coal and Coke.
- Cold-strain austenitic materials (Hammer, Jr., Stemann, and Weismantel), 809. Disc., 817.
- Color  
report of Committee E-12, 649.  
a five-attribute system of describing visual appearance. *See* STP 297.
- Combustible characteristics of building materials (Lofthus, Gross, and Robertson), 1336 (R). Disc., 1348.
- Combustion, abnormal phenomena (Pastell and Hyatt). Summary of STP 298, 1427.
- Communication,  
(ACR notes) (Harris), MR&S, Oct., 821  
needed: more talk less communication (editorial) (Mowbray), MR&S, June, 447.
- Compatibility between bitumens—exudation versus insudation (Oliensis), MR&S, Sept., 723.
- Compression  
evaluation of compression set testing—standard versus variable deflection methods (King and Harding). *See* STP 311.  
Inconel, temperatures up to 1400 F (Dubuc and Welter). Summary of STP 303, 1027.  
loaded concrete, strain distribution (Keeton), 1197. Disc., 1220.
- Compression testing  
compressive strength values in soil-additive strength determinations, MR&S, Dec., 947; gypsum plaster (Waters and Birkwistle), MR&S, May, 374.  
report of Committee D-11, 523.  
*see* symposium on elevated-temperature compression testing of sheet materials. Summary of STP 303, 1027.
- Compressive creep, determining in sheet metals (Kattus and Lessley), 920. Disc., 930.
- Compressive strength  
air-entrained cement (Walker and Bloem), 1059.  
concretes and mortars (Lynn and Palmer), 1180.
- Compressive yield, magnesium alloy at elevated temperatures (Fenn, Jr.). Summary of STP 303, 1027.
- Composite insulation. Report of Committee D-9, 519.
- Computer, goes to nuclear research center (random samples), MR&S, June, 490.
- Concentrations  
high local, electron probe for measuring (Birks and Seebold). Summary of STP 308, 1028.  
low average, electron probe for measuring (Birks and Seebold). Summary of STP 308, 1028.
- Concrete  
building blocks for concrete research (materials sciences), MR&S, Dec., 996.  
centrifuge test for determining cement content of fresh concrete, (Walker, Bloem, Gaynor, and Wilson), MR&S, June, 454.  
compressively loaded, strain distribution (Keeton), 1197. Disc., 1220.  
fire tests in new beam furnace (Carlson and Tatman). Summary of STP 301, 45.  
concepts in control (Waddell), MR&S, June, 452.  
flexural and compressive strengths (Lynn and Palmer), 1180.  
indirect tension test (Mitchell, Jr.), MR&S, Oct., 780.  
investigation of materials for Saskatchewan Dam (Price), 1155.  
100-year test (random samples), MR&S, March, 232.  
pipe. Report of Committee C-13, 431.  
reinforcing steels, brittle fracture (Tarr). Summary of STP 302, 1026.  
report of Committee C-9, 413.  
sulfate resistance, test (Lerch), 1043. Disc., 1049.  
use of fly ash for portland cement (Grieb and Woolf), 1143. Disc., 1154.  
uniformity of large batches (Bloem, Gaynor, and Wilson), 1119 (R). Disc., 1141.  
volume changes (Swayze), MR&S, Sept., 700, Disc., 704.
- Concrete pipe, *See* pipe, concrete.
- Cone-plate viscometer application to non-Newtonian systems (Forster and Horowitz). Summary of STP 299, 1428.
- Conner, C. C.,** discussion, MR&S, May, 364.
- Connor, W. S.:** How to evaluate precision, MR&S, April, 272.
- Consistency, paving cements, measurement (Fink and Griffin). Summary of STP 309, 1306.
- Constituents, various in metals, *See* Symposium on extension of sensitivity for determining various constituents in metals. Summary of STP 308, 1028.
- Construction  
bituminous, viscosity (Adam). Summary of STP 309, 1306.  
structural sandwich. Report of Committee C-19, 445.
- Contacts, electrical. Report of Committee B-4, 229.
- Contamination, *See* electron device processing. Summary of STP 300, 1429.
- Converse, F. J.:** Stress-deformation relations for soft saturated silt under low-frequency oscillating direct-shear forces. Summary of STP 305, 1305.



- Copper  
alloys, creep and rupture properties (Moon and Simmons), 938.  
beryllium alloy, fatigue propagation (Holshouser and Utech), 749 (R). Disc., 755.  
beryllium strip, properties after exposures to elevated temperatures (Wikle and Sarle), 988.  
creep testing by centrifugal-force loading (Hook, Adair, and Spretnak), *MR&S*, June, 464.  
nickel alloy, properties (Appendix II). Report of Committee B-5, 247.  
recommendations affecting standards (Appendix I, report of Committee B-5), 240.  
report of Committee B-5, 235.  
stress-corrosion-cracking test for alloys (Thompson), *MR&S*, Feb., 108.
- Copson, H. R., Hopkinson, B. E., and Lang, F. S.:** Behavior of ni-o-nel nickel-iron-chromium alloy in intergranular corrosion evaluation tests, 879.
- Cornthwaite, A. B.:** Introduction, Symposium on Microviscometry. Summary of *STP* 309, 1306.
- Corrosion  
atmospheric (Appendix I). Report of Committee B-3, 205.  
corrosiveness of various atmospheres (Ellis and Larrabee), *MR&S*, Dec., 977.  
galvanic and electrolytic (Appendix II). Report of Committee B-3, 215.  
intergranular, nickel-iron-chromium alloy (Copson, Hopkinson, and Lang), 879.  
moisture deposition on corrosion specimens (Sereda), *MR&S*, Sept., 719.  
nonferrous. Report of Committee B-3, 202.  
report of Advisory Committee, 387.  
report of Committee A-3, 130.  
report of Committee A-5, 133.  
report of Committee A-7 (Appendix), 164.  
report of Committee A-10, 183.  
report of Committee B-6, 264.  
resistant steels in installations (Appendix), Report of Committee A-10, 188.  
stress-corrosion-cracking test for copper alloys, (Thompson), *MR&S*, Feb., 108.  
water-vapor, of beryllia (Browne). Summary of *STP* 306, 1425.
- Corten, H. T.,** see Spitzer, Robert, and Corten, H. T.
- Costello, J. C.:** Some thoughts on the information problem, *MR&S*, June, 474.
- Courtney-Pratt, J. S.:** High-speed micrography (ACR notes), *MR&S*, May, 406.
- Cotton. Report of Committee D-13, 534.
- Coulter, E. E.,** see Cobb, R. V., and Coulter, E. E.
- Cracking  
fracture testing of high-strength sheet materials, *MR&S*, Nov., 877.  
fracture toughness determinations with shear-cracked specimens (Morrison and Kattus), *MR&S*, Dec., 968.  
intercrystalline cracking and creep rupture life (Bleakney), *MR&S*, March, 181.  
propagation, determining direction (Tiner), 800 (R).  
propagation, fatigue damage in steel (Erickson and Work), 704 (R). Disc., 717.  
size effect on tensile strength (Srawley and Beachem). Summary of *STP* 302, 1026.  
slow growth and rapid propagation of cracks, *MR&S*, May, 389.  
see also Fracture.
- Craft, W. H.,** see Feder, D. O., and Craft, W. H.
- Craft, W. H.,** see Thomas, C. O., Craft, W. H., and Koontz, D. E.
- Crawford, C. B.:** The influence of strain on shearing resistance of sensitive clay, 1250 (R). Disc., 1266.
- Creativity—a valuable state of mind (ACR notes) (Smith), *MR&S*, July, 580.
- Creep  
determination in sheet metals (Kattus and Lessley), 920. Disc., 930.  
fracture in nickel (Reuther, Shahinian, and Achter), 956. Disc., 967.  
intercrystalline cracking and creep rupture life (Bleakney), *MR&S*, March, 181.  
properties, copper-base alloys (Moon and Simmons), 938.  
Rabotnov's creep parameter (Goldhoff), 907.  
rate, molybdenum (Barr, Semchysheh, and Timmons), 847.  
tensile, structural joints (Marin), 931. Disc., 937.  
testing by centrifugal-force loading, (Hook, Adair, and Spretnak), *MR&S*, June, 464.  
Creep parameter, Tabotnov's (Goldhoff), 907.
- Creep-rupture  
behavior of Hastelloy-X (Donachie, Jr., and Shephard), 981.  
nickel alloys in helium (Wall, Hengstenberg, and Gayley), 970.  
properties of copper-base alloys (Moon and Simmons), 938.
- Critical data on chemicals, hydrocarbons (materials sciences) *MR&S*, June, 486.
- Crum, R. G.:** Convenient way to find natural logarithms is useful for true-strain values, *MR&S*, Dec., 967.
- Cryogenic tanks  
fracture toughness of sheet alloys (Espy, Jones, and Brown, Jr.). Summary of *STP* 302, 1026.  
industrial (Marsh). Summary of *STP* 302, 1026.
- Cryogenics  
cryostat for mechanical testing (Ives and Mead), *MR&S*, March, 194.  
temperatures, properties of steel (Hall). Summary of *STP* 302, 1026.  
temperatures, report on physical properties of metals and alloys from cryogenic to elevated temperatures. (Eldridge and Deem). See *STP* 296.  
tensile cryostat for temperature range 4 to 300 K, (McClintock and Warren), *MR&S*, Feb., 95.  
tensile ratios and fatigue of welded joints in



- steel (Watson, Christian, Tanalski, and Hurlich). Summary of *STP* 302, 1026.
- Tension testing at -423 F (Watson and Christian). *MR&S*, Feb., 87.
- Crystals, strength of (materials sciences). *MR&S*, June, 486.
- Cufenloy 40, elevated temperature properties (Simmons and Sirois), 247.
- Cummings, R.: Use of Stormer viscometer for testing inks. *MR&S*, Jan., 30.
- Cunney, R. W., and Sloan, R. C.: Dynamic load machine and results of preliminary small-scale footing tests. Summary of *STP* 305, 1305.
- Curl, C. H.: Subsize Charpy correlation with standard Charpy. *MR&S*, Feb., 91.
- Curry, R. L., discussion, *MR&S*, Feb., 111.
- Curtain walls  
   clay masonry, testing (Monk). Summary of *STP* 312, 1431.  
   metal, testing (Koppes). Summary of *STP* 312, 1431.
- Cutler, Ivan B.: The effect of impurities on the properties of ceramic materials. Summary of *STP* 304, 1424.
- Cyclic deformation, elastoplastic and fatigue (Serensen and Shneiderovitch), 789.
- D**
- Dale, J. M.: Determination of mechanical properties of elemental sulfur. *MR&S*, Jan., 23; discussion, *MR&S*, Sept., 716.
- Damping  
   capacity of granular soils (Weissmann and Hart). Summary of *STP* 305, 1305.  
   equation for evaluation of soils (Smith and Albee), 1362.
- Danek, G. J., Jr., Smith, H. H., and Achter, M. R.: High-temperature fatigue and bending strain measurements in controlled environments, 775 (*R*). Disc., 787.
- David, H. T., Davidson, D. T., and O'Flaherty, C. A.: Detecting outliers in soil-additive strength tests. *MR&S*, Dec., 947.
- Davidson, D. T., see Vincent, Robert D., Mateos, Manuel, and Davidson, D. T.; see David, H. T., et al.
- Davidson, J. I.: Loss of moisture from fresh mortars to bricks. *MR&S*, May, 385.
- Decker, R. F., discussion, 967.
- DeCorso, S. M., and Kothmann, R. E.: Erosion by liquid impact. Summary of *STP* 307, 1426.
- Deem, H. W., see Eldridge, E. A., and Deem, H. W.
- DeFore, M. A., discussion, *MR&S*, Oct., 802.
- Deflection methods, compression set testing (King and Harding). See *STP* 311.
- Degradation, asphaltic concrete wearing course mixtures (Goode and Owings). Summary of *STP* 309, 1306.
- Degreasing, vapor, handbook. Summary of *STP* 310, 1432.
- Dehydration products, determination of gypsum and, in mixtures (McAdie and Kuntze). *MR&S*, Jan., 27.
- della Porta, P., and Airoidi, E.: Quality control of getters. Summary of *STP* 300, 1429.
- Dempsey, J. G., discussion, *MR&S*, Oct., 798.
- Dempster, John M.: The role of motor gasoline additives. Summary of *STP* 298, 1427.
- Density, see Permeability and Asphalt, 1306.
- Deposit-ignition problem, fundamentals and techniques (Pastell and Hyatt). Summary of *STP* 298, 1427.
- Detergents, see Soaps and Detergents.
- Die castings. Report of Committee B-6, 264.
- Dielectric heat sinks, beryllium oxide (Hessinger, Strott, and Haura). Summary of *STP* 300, 1429.
- Diesel fuel. Report of Committee D-2, 472.
- Differential method, measurement of strain components of aluminum alloys (Theocaris), 838 (*R*).
- Diffraction, X-ray, see X-Ray Diffraction.
- Dislocations, role of transmission electron microscopy in fundamental fatigue studies, (Wilsdorf), *MR&S*, Aug., 640.
- Dlouhy, F., and Schuetze, H. J.: Noise-tested cathode activation. Summary of *STP* 300, 1429.
- Dodge, H. F., editorial, *MR&S*, Nov., 861.
- Dolch, W. L.  
   Importance of surfaces. *MR&S*, Aug., 666.  
   Mission of ACR, *MR&S*, Jan., 49.
- Donachie, Matthew J., Jr., and Shephard, Robert G.: Creep-rupture behavior of Hastelloy-X, 981.
- Dosimetry. Report of Committee E-10, 646.
- Dougherty, M., see Adam, L. H., and Dougherty, M.
- Driscoll, D. E., Beaton, J. L., Fry, H. L., and Lysaght, V. E.: Hardness-tensile strength conversion for Rockwell hardness, C scale, *MR&S*, June, 448.
- Dry slide settling technique, dust monitoring (Whitfield, Marsh, and Kodel). Summary of *STP* 300, 1429.
- Dubuc, J., and Welter, G.: Compression and buckling characteristics of annealed and aged Inconel 718 nickel-chromium alloy at temperatures up to 1400 F. Summary of *STP* 303, 1027.
- Ductility  
   elongation in sheet tension specimens, (Kula and Fahey), *MR&S*, Aug., 631.  
   fracture characteristics of notched tensile specimens of titanium (Geil and Carville), *MR&S*, Jan., 16.
- Dudley medal, awarded to G. B. Espey, M. H. Jones, W. J. Brown, *MR&S*, July, 570.
- Durelli, A. J., and Riley, W. F.: Performance of embedded pressure gages under static and dynamic loadings. Summary of *STP* 305, 1305.
- Dust, see Electron device processing, Summary of *STP* 300, 1429.
- DVM notched specimens, impact values (Reymond). Summary of *STP* 302, 1026.
- Dynamic loading  
   bearing capacities, footings under nonvibra-

- Dynamic (continued)**  
 tory forces (Shenkman and McKee). Summary of *STP 305*, 1305.  
 nuclear explosions, response (Sinnamon and Newmark). Summary of *STP 305*, 1305.  
 small-scale footing tests (Cunney and Sloan). Summary of *STP 305*, 1305.
- Dynamic moduli**  
 metallic materials (Hill, Shimmin, and Wilcox), 890. Disc., 906.
- Dynamic testing**  
 rubber products (Payne), *MR&S*, Dec., 942  
 soils, facilities (Sinnamon and Newmark). Summary of *STP 305*, 1305.
- Dynamics, soil**. See symposium on soil dynamics. Summary of *STP 305*, 1305
- E**
- Eden, W. J., and Kubota, J. K.**: Some observations on the measurement of sensitivity of clays, 1239.
- Elastic moduli**, calculating from resonance frequencies (Spinner and Tefft), 1221 (*R*). Disc., 1238.
- Elasticity**, dynamic moduli of metals and alloys at elevated temperatures (Hill, Shimmin, and Wilcox), 890. Disc., 906.
- Elastomers**  
 report of Committee D-11, 523.  
 vulcanized, compression set testing (King and Harding). See *STP 311*.
- Elastoplastic deformation**, low-cycle fatigue (Serensen and Shneiderovitch), 789.
- Eldridge, E. A., and Deem, H. W.**: Report on physical properties of metals and alloys from cryogenic to elevated temperatures. See *STP 296*.
- Electrical conductors, wires**. Report on Committee B-1, 195.
- Electrical contacts**  
 bibliography and abstracts, 1960 supplement. Summary of *STP 56-0*,  
 definitions of terms (Appendix), Report of Committee B-4, 232.  
 report of Committee B-4, 229.
- Electrical heating**. Report of Committee B-4, 229.
- Electrical insulation**  
 liquids and gases. Report of Committee D-27, 598.  
 materials. Report of Committee D-9, 513.  
 see Insulation, electrical.
- Electrical properties**, effect of heat and plastic deformation (Starr, Wang, and Hofacker), 831.
- Electrical resistance**  
 nickel-chromium alloy (Starr, Wang, and Hofacker), 831.  
 report of Committee B-4, 229.
- Electrical steel**. Report of Committee A-6, 160.
- Electroanalytical techniques**, trace metal determination (Meites). Summary of *STP 308*, 1028.
- Electrode potential**  
 emf studies of nickel-iron alloys in etchants (Feder, Howden, Huff, and Richards). Summary of *STP 300*, 1429.  
 emf-time studies of platinum electrodes (Feder and Jacob). Summary of *STP 300*, 1429.
- Electroforming**  
 electromagnetic determination of nickel thickness for re-entry vehicle heat sinks (LoPilato and Hastings), *MR&S*, Mar., 188;  
 program set for symposium, *MR&S*, Nov., 890.  
 symposium, highlight of Committee Week, *MR&S*, Dec., 989.
- Electron beam microanalyzer**, new tool (Hayes). Summary of *STP 300*, 1429.
- Electron device**, symposium on materials and electron device processing. Summary of *STP 300*, 1429.
- Electron microscopy**, see Microscopy, electron.
- Electron microstructure**. Report of Committee E-4, 635.
- Electron probe**, measuring concentrations of impurities in alloys (Birks and Seebold). Summary of *STP 308*, 1028.
- Electron tubes and semiconductor devices**. Report of Committee F-1, 669.
- Elevated temperature**  
 characteristics of stainless steel (Lu, Trubert, and Nash), 1008.  
 copper-beryllium strip after exposure (Wikle and Sarle), 988.  
 dynamic moduli of metallic materials (Hill, Shimmin, and Wilcox), 890. Disc., 906.  
 report of Joint ASTM-ASME Committee on properties of metals, 370.  
 report on physical properties of metals and alloys from cryogenic to elevated temperatures (Eldridge and Deem). See *STP 296*.  
 symposium on elevated-temperature compression testing of sheet materials. Summary of *STP 303*, 1027.  
 see also High temperature.
- Elongation**, in sheet tension specimens (Kula and Fahey), *MR&S*, Aug., 631.
- Embedded pressure gages performance** (Durelli and Riley), Summary of *STP 305*, 1305.
- Embedding compound**. Report of Subcommittee VI of Committee D-9, 518.
- Emf studies**  
 nickel-iron alloys in etchants (Feder, Howden, Huff, and Richards). Summary of *STP 300*, 1429.  
 platinum electrodes (Feder and Jacob). Summary of *STP 300*, 1429.
- Emission spectroscopy**, see Spectroscopy, emission.
- Enamel, porcelain**. Report of Committee C-22, 452.
- Encapsulating compound**. Report of Subcommittee VI of Committee D-9, 518.
- Engel, Olive G.**: Impact of liquid drops. Summary of *STP 307*, 1426.
- Engine**  
 requirements, effect of composition on future

- specifications (Faust). Summary of *STP* 298, 1427.  
 requirements for performance (Risk and Cleveland). Summary of *STP* 298, 1427.  
 Engine oil, *See* Oil, engine.  
 Environments, transistor processing (Smith and Manns). Summary of *STP* 300, 1429.  
**Erb, Donald**, discussion, 906.  
**Erickson, W. H., and Work, C. E.**: A study of the accumulation of fatigue damage in steel, 704 (*R*). Disc., 717.  
 Erosion  
   report of Administrative Committee on Simulated Service Testing, 101.  
   test for soils (Inderbitzen), *MR&S*, July, 553.  
 Erosion and cavitation, symposium. Summary of *STP* 307, 1426.  
**Espey, G. B., Jones, M. H., and Brown, W. F., Jr.**: Factors influencing fracture toughness of sheet alloys for use in lightweight cryogenic tankage. Summary of *STP* 302, 1026.  
 Etchants, emf studies (Feder, Howden, Huff, and Richards). Summary of *STP* 300, 1429.  
**Etter, Robert W.**: Sulfamic acid cleaning of electron tube parts. Summary of *STP* 300, 1429.  
 Exhaust machine, vacuum tube (Quaglia, Byrne, and Reyling). Summary of *STP* 300, 1429.  
 Experimental design  
   analysis of planned experiments, *MR&S*, April, 273.  
   ASTM Committees, *MR&S*, Nov., 862.  
   reminder: look before you leap (editorial) (Dodge), *MR&S*, Nov., 861.  
 Experimental gas-cooled reactor (EGCR) (Toner and Scott). Summary of *STP* 306, 1425.  
 Explosion age (editorial), *MR&S*, Aug., 619.  
 Exposure testing  
   moisture deposition on corrosion specimens (Sereda), *MR&S*, Sept., 719.  
   protective paints for metals (Lominska), *MR&S*, Aug., 620.  
 Exudation, versus insudation, compatibility between bitumens (Oliensis), *MR&S*, Sept., 723.

## F

- Faber, J. W., see** Stutzman, M. J., and Faber, J. W.  
 Fabric. Report of Committee D-13, 534.  
**Fahey, N. H.**: Effects of variables in Charpy impact testing, *MR&S*, Nov., 872. *See also* Kula, E. B., and Fahey, N. H.  
 Fall-cone test, measuring sensitivity of clays (Eden and Kubota), 1239.  
 Fallout, radiation, On tyrants and tyrannies (editorial) *MR&S*, Dec., 941.  
 False set  
   portland cement (Hansen), *MR&S*, Oct., 791.  
   portland cement, method of test (Hansen), 1029.  
 Fatigue  
   accumulation of damage in steel (Erickson and Work), 704 (*R*). Disc., 717.  
   crack propagation (Holshouser and Utech), 749 (*R*). Disc., 755.  
   cracks, effect on high-strength steels (Manning). Summary of *STP* 302, 1026.  
   cumulative damage of aluminum alloy (Spitzer and Corten), 719 (*R*).  
   cumulative damage, relation in bending (Manson, Natchigall, and Freche), 679 (*R*). Disc., 692.  
   elastoplastic deformation (Serensen and Shneiderovitch), 789.  
   high-temperature measurements (Danek, Smith, and Achter), 775 (*R*). Disc., 787.  
   molybdenum at various temperatures (Mittenbergs, Haley and Williams), 757. Disc., 774.  
   nickel alloys in helium (Wall, Hengstenberg, and Gayley), 970.  
   notch factor (Kuguel), 732 (*R*). Disc., 747.  
   report of Committee E-9, 644.  
   resistance of aluminum alloys by mechanical surface prestressing (Butz and Lyst), *MR&S*, Dec., 951.  
   role of transmission electron microscopy in fundamental fatigue studies (Wilsdorf), *MR&S*, Aug., 640.  
   tensile in welded joints of steel (Watson, Christian, Tanalski, and Hurlich). Summary of *STP* 302, 1026.  
   test for printed wiring boards and through connections (Gohn and Fox), *MR&S*, Sept., 711, discussion, Dec., 972.  
**Faust, W. J.**: The effect of composition and engine requirements on future motor gasoline specifications. Summary of *STP* 298, 1427.  
**Feder, D. O., and Craft, W. H.**: Determination of trace amounts of oxygen in protective gaseous ambients. Summary of *STP* 300, 1429.  
**Feder, D. O., Howden, W. E., Huff, D. R., and Richards, J. W.**: Electrode potential: A tool for the control of materials and processes in electron device fabrication. II: Emf studies of the behavior of 36 per cent nickel-iron alloy in hydrogen peroxide-formic acid etchants. Summary of *STP* 300, 1429.  
**Feder, D. O., and Jacob, E. S.**: Electrode potential: a tool for the control of materials and processes in electron device fabrication. I. Emf-time studies of clean and contaminated platinum electrodes. Summary of *STP* 300, 1429.  
 Felt. Report of Committee D-13, 534.  
**Fenn, R. W., Jr.**: Evaluation of test variables in determination of elevated-temperature compressive yield strength of magnesium alloy sheet. Summary of *STP* 303, 1027.  
**Fenn, R. W., Jr., and Moore, A. A.**: Accuracy problems at rapid rates of mechanical testing, *MR&S*, Oct., 804.  
**Fenske, M. R., see** Klaus, E. Erwin, Angeloni, Francis M., and Fenske, Merrell R.  
**Ferreira, Laurence E.**: Recommended practices for safe handling of beryllium oxide ceramics. Summary of *STP* 300, 1429.

- Ferritic steel, welded, low temperature service (Wells). Summary of *STP 302*, 1026.
- Ferro-alloys. Report of Committee A-9, 182.
- Fibers  
 identification and quantitative determination of natural and manufactured (Praeger), *MR&S*, May, 381.  
 man-made and synthetic. Report of Committee D-13, 534.  
 peeping fibers (random samples), *MR&S*, Aug., 668.  
 report of Committee D-13, 534.
- Field vane test, measuring sensitivity of clays (Eden and Kubota), 1239.
- Fillers, mineral, asphalt rheology (Winniford). Summary of *STP 309*, 1306.
- Film, plastic. Report of Subcommittee XIX of Committee D-20, 584.
- Filters, air, electrostatic and high-frequency impingement (Helmke). Summary of *STP 300*, 1429.
- Findley, William N., discussion, 747.
- Fink, D. F. and Griffin, R. L.: Measurement of the consistency of paving cements at 140 F with the sliding plate microviscometer. Summary of *STP 309*, 1306.
- Fink, D. F., and Heithaus, J. J.: The precision of measurements with the sliding plate microviscometer. Summary of *STP 309*, 1306.
- Fink, W. L., and Wyman, L. L.: Alloy phase nomenclature, *MR&S*, April, 289.
- Finnie, Iain: Erosion by solid particles in a fluid stream. Summary of *STP 307*, 1426.
- Fire  
 endurance rating treatise (Harmathy). Summary of *STP 301*, 45.  
 heat release in buildings (Loftus, Gross, and Robertson), 1336 (*R*). Disc., 1348.
- Fire test  
 early history (Shoub). Summary of *STP 301*, 45.  
 report of Committee E-5, 638.  
 symposium on fire test methods. Summary of *STP 301*, 45.
- Fission fragment  
 damage study (Noggle and Stiegler). Summary of *STP 306*, 1425.  
 interaction with solids (Noggle and Stiegler). Summary of *STP 306*, 1425.
- Fission gas  
 release (Melehan and Rough). Summary of *STP 306*, 1425.  
 uranium oxide, release during irradiation (Carroll). Summary of *STP 306*, 1425.
- Fitzgerald, J. V., Wagner, H. B., and Bennett, F. E.: Organic adhesives for setting ceramic tile, *MR&S*, March, 196.
- Fitzroy, N. D., see Norris, R. H., and Fitzroy, N. D.
- Flammability, surface, tests (Wilson). See *STP 301*.
- Flash Set, See Cement, Concrete, Mortar.
- Flexible barrier materials. Report of Committee F-2, 675.
- Flexural strength  
 concretes and mortars (Lynn and Palmer), 1180.  
 hydraulic cement mortars (Swayze), 1051. Disc., 1057.
- Floor coverings  
 history of early fire endurance testing (Shoub). Summary of *STP 301*, 45.  
 measurements of human reaction to hardness (Waters, Schjödtt), *MR&S*, Feb., 102.  
 measuring thickness (Horowitz, Mandel, Capott, and Boone), *MR&S*, Feb., 99.
- Fluorine release, glasses (Francel). Summary of *STP 300*, 1429.
- Flux  
 removal from printed circuit boards (Smallwood). Summary of *STP 300*, 1429.  
 solder removal from components (Stern). Summary of *STP 300*, 1429.
- Fly ash  
 pozzolanic behavior (Vincent, Mateos, and Davidson), 1094 (*R*).  
 replacement for portland cement (Grieb and Woolf), 1143. Disc., 1154.
- Foil, bulge test (Ballard), *MR&S*, June, 471.
- Footings  
 bearing capacities, nonvibratory forces (Shenkman and McKee). Summary of *STP 305*, 1305.  
 dynamically loaded (Shenkman and McKee). Summary of *STP 305*, 1305.  
 model, testing procedures (Alai). Summary of *STP 305*, 1305.  
 small-scale tests, dynamic loading machine (Cunny and Sloan). Summary of *STP 305*, 1305.
- Forced-ball viscometer, application to mineral oil systems (Selby and Hunstad). Summary of *STP 299*, 1428.
- Forster, E. O., and Horowitz, H. H.: Application of the cone-plate viscometer to non-Newtonian systems. Summary of *STP 299*, 1428.
- Fox, A., see Gohn, G. R. and Fox, A.
- Fractographic analysis, missile motor casings (Tiner), 800 (*R*).
- Fracture  
 anomalous, creep of nickel (Reuther, Shahnian, and Achter), 956. Disc., 967.  
 appearances in steel (Tiner), 800 (*R*).  
 brittle, concrete reinforcing steels (Tarr). Summary of *STP 302*, 1026.  
 brittle, testing (Yukawa). Summary of *STP 302*, 1026.  
 characteristics of notched tensile specimens of titanium (Geil and Carwile), *MR&S*, Jan., 16.  
 effect of section size on development (Klier and Weiss), 1307 (*R*).  
 high-strength materials (Srawley and Beachem). Summary of *STP 302*, 1026.  
 laminated structures (Bluhm), 1332.  
 sheet steel containing cracks (Srawley and Beachem). Summary of *STP 302*, 1026.  
 slow growth and rapid propagation of cracks (2nd report of special ASTM committee), *MR&S*, May, 389.  
 testing of high-strength sheet materials (discussion of 1st report of special ASTM

- committee) (McClintock), *MR&S*, April, 277.
- testing of high-strength sheet materials (3rd report of special ASTM committee), *MR&S*, Nov., 877.
- toughness, calculated by stress intensity factor (Srawley and Beachem). Summary of *STP* 302, 1026.
- toughness determinations with shear-cracked specimens (Morrison and Kattus), *MR&S*, Dec., 968.
- toughness, model for effect of thickness (Bluhm), 1324, 1332.
- toughness, sheet alloys for cryogenic tanks (Espey, Jones, and Brown, Jr.). Summary of *STP* 302, 1026.
- toughness, steel (Hodge). Summary of *STP* 302, 1026.
- see also Cracking.
- France, L. L., Begley, R. T., and Cohute, H.:** Apparatus for hardness testing at low temperatures. *MR&S*, March, 192.
- Francel, Josef:** Fluorine release from glasses. Summary of *STP* 300, 1429.
- Frankel, Henry E.,** discussion, 755.
- Freas, D. G., Austin, A. E., and Rough, F. A.:** Mechanism of irradiation damage in uranium monocarbide. Summary of *STP* 306, 1425.
- Freche, J. C.,** see Manson, S. S., Nachtigall, A. J., and Freche, J. C.
- Friction, dry (ACR notes), *MR&S*, June, 488.
- Frost, H. B.:** Residual gas content as a function of tube processing. Summary of *STP* 300, 1429.
- Frost Heaving, see Ice, Soils, and Metals.
- Fry, H. L.,** see Driscoll, D. E., et al.
- Fuel**
- refractory compounds. Symposium on radiation effects in refractory fuel compounds. Summary of *STP* 306, 1425.
  - determination of undissolved water in fuels (Gardener and Topol), *MR&S*, Feb., 112.
  - report of committee D-2, 472.
  - reactor, plutonium-uranium oxide (Gerhart, Siltanen, and Cochran). Summary of *STP* 306, 1425.
  - see Gasoline.
- Furnace, beam, use at the Portland Cement Association (PCA)** (Carlson and Tatman). Summary of *STP* 301, 45.
- G**
- Gage blocks, development of (Myerson, Young, Ney), *MR&S*, May, 368.
- Gardner, L., and Topol, G.:** Determination of undissolved water in fuels, *MR&S*, Feb., 112.
- Gas**
- composition in sealed-off tubes (Várad, Langer, and Saltzman). Summary of *STP* 300, 1429.
  - chromatography. Report of Committee E-19, 667.
  - manufactured. Report of Committee D-3, 487.
  - purity in plasma (Buchsbaum and Sawyer). Summary of *STP* 304, 1424.
  - residual content as a function of tube processing (Frost). Summary of *STP* 300, 1429.
  - carbonaceous, evolution from cathode nickel (Stern). Summary of *STP* 300, 1429.
  - high-purity, processing (Rogers). Summary of *STP* 300, 1429.
- Gaseous contaminants, standard leak rates** (Maurer). Summary of *STP* 300, 1429.
- Gaseous fuels**
- report of Committee D-3, 487.
  - see also Fuels.
- Gaskins, F. H.,** see Brodnyan, J. G., Gaskins, F. H., and Philippoff, W.
- Gasoline**
- report of Committee D-2, 472.
  - symposium on current research on motor gasoline which may affect future specifications. Summary of *STP* 298, 1427.
- Gates, John E.:** Introduction. Summary of *STP* 306, 1425.
- Gaudette, N. G.,** see Keyser, J. Hode, and Gaudette, N. G.
- Gavan, F. M.,** see Joy, F. A., and Gavan, F. M.
- Gayley, H. B.,** see Wall, F. J., Hengstenberg, T., and Gayley, H. B.
- Gaynor, R. D.,** see Walker, S., et al.; see also Bloem, D. L., Gaynor, R. D., and Wilson, J. R.
- Geil, G. W., and Carwile, N. L.:** Fracture characteristics of notched tensile specimens of titanium, *MR&S*, Jan., 16.
- Gel, rotating cylinder viscometer** (Russell). Summary of *STP* 299, 1428.
- Gerard, George:** An evaluation of compression testing techniques of sheet materials at elevated temperatures. Summary of *STP* 303, 1027.
- Gerberich, W. W.,** see Barnett, E. C., and Gerberich, W. W.
- Gerhart, J. M., Siltanen, J. N., and Cochran, J. S.:** The irradiation and examination of a plutonium-uranium oxide fast reactor fuel. Summary of *STP* 306, 1425.
- Germanium alloy, transistors, changes in stability through processing** (Borofsky). Summary of *STP* 300, 1429.
- Getters, quality control** (della Porta and Airoidi). Summary of *STP* 300, 1429.
- Getz, J. E., and Wagner, T. O.:** Relation between laboratory knock ratings and customer satisfaction on the road. Summary of *STP* 298, 1427.
- Gibson, H. J., and Wilson, H. I.:** CRC (Coordinating Research Council) work on anti-knock. Summary of *STP* 298, 1427.
- Gillett Memorial Lecture, Specifications?!** (Kinzel).\*
- Giuliani, F., and Robledo, R. S.:** Influence of particle-size distribution on vibrated mortar, *MR&S*, March, 183.
- Glass and glass products.** Report of Committee C-14, 434.
- Glass textiles.** Report of Committee D-13, 534.

**Glenn, George R., and Handy, R. L.:** Quantitative determination of soil montmorillonite by X-ray diffraction, 1277 (R). Disc., 1287.

**Gloss.** Report of Committee E-12, 649.

**Glycol detection in crankcase oil (Gordan),** *MR&S*, Jan., 30.

**Gohn, George,** discussion, 774.

**Gohn, G. R., and Fox, A.**

Fatigue test for printed wiring boards and through connections, *MR&S*, Sept., 711.

Determination of stress-relaxation in tension or compression, *MR&S*, Dec., 957.

**Goldhoff, Robert M.:** The applications of Rabotnov's creep parameter, 907.

**Gonser, B. W.:** ACR notes, *MR&S*, Feb., 133; Sept., 742.

**Goode, Joseph F., and Owings, Elliott P.:** A laboratory-field study of hot asphaltic concrete wearing course mixtures. Summary of *STP 309*, 1306.

Graduate study, research and (materials sciences), *MR&S*, Dec., 996.

Grain size, unified standard (Wyman and Penrod), *MR&S*, Aug., 638.

**Gray, R. G.,** see Bleiberg, M. L., Yeniscavich, and Gray, R. G.

Grease. Report of Committee D-2, 472.

**Grieb, W. E., and Woolf, D. O.:** Concrete containing fly ash as a replacement for portland blast-furnace slag cement, 1143. Disc., 1154.

**Griffin, R. L.,** see Fink, D. F., and Griffin, R. L.

**Griffith, J. S.,** discussion, *MR&S*, Oct., 801.

Grinding aids, mechanism (Mardulier), 1078 (R). Disc., 1091.

**Gross, D.,** see Loftus, J. J., Gross, D., and Robertson, A. F.

**Gyer, J. F.,** see Bonner, F. J., and Gyer, J. F.

Gypsum chlorides in (Surkevics), *MR&S*, Aug., 624.

compression testing of gypsum plaster (Waters and Birtwistle), *MR&S*, May, 374.

determination in mixtures (McAdie and Kuntze), *MR&S*, Jan., 27.

report of Committee C-11, 426.

see also Calcium Sulfate and Cement.

## H

**Hague, J. L.:** Separations in analysis. Summary of *STP 308*, 1028.

**Haley, G. D.,** see Mittenbergs, A. A., Haley, G. D., and Williams, D. N.

**Hall, E. R.:** Tensile and impact properties of cast stainless steels at cryogenic temperatures. Summary of *STP 302*, 1026.

Halogenated organic solvents, see Solvents.

**Halstead, Woodrow J., and Zenewitz, Joseph A.:** Changes in asphalt viscosities during the thin film oven and microfilm durability tests. Summary of *STP 309*, 1306.

**Halsted, L. E.,** discussion, *MR&S*, Oct., 799.

**Hammer, Walter, Jr., Stemmann, Leonard G., and Weismantel, E. E.:** Strain strengthening of type 304 stainless steel, 809. Disc., 817.

**Handy, R. L.,** A new pedological scheme of soil classification, *MR&S*, Dec., 973; see also Glenn, George R., and Handy, R. L.

**Hansen, W. C.**

Discussion of methods of test for false set of portland cement, 1029.

Discussion, 1038, 1091.

Quick and false set for portland cements, *MR&S*, Oct., 791.

**Harding, R. E.,** see King, W. H., and Harding, R. E.

**Hardness**

apparatus for controlled slack quenching (Carwile, Meyerson, Rosenberg), *MR&S*, July, 532.

apparatus for testing at low temperatures (France, Begley, Kohute), *MR&S*, March, 192.

floor coverings, measurements of human reaction (discussion) (Waters), *MR&S*, Feb., 102.

hardness-tensile strength conversion for Rockwell hardness, C scale (Driscoll, et al), *MR&S*, June, 448.

low-temperature tensile-hardness correlations for SAE 4240 steel (discussion) (Sands, Nunes), *MR&S*, April, 286.

Hardware, atmospheric corrosion tests (Appendix III), Report of Committee A-5, 156.

**Harmathy, T. Z.:** A treatise on theoretical fire endurance rating. Summary of *STP 301*, 45.

**Harris, J. C.:** ACR notes, *MR&S*, March, 223; Oct., 821.

**Hart, R. R.,** see Weissmann, G. F., and Hart, R. R.

Hastelloy-X, creep-rupture behavior (Donachie, Jr., and Shephard), 981.

**Hastings, C. H.,** see LoPilato, S. A., and Hastings, C. H.

**Hatch, Burton.,** discussion, 747.

**Haura, B.,** see Hessinger, P., Strott, A., and Haura, B., 1429.

**Hayes, J. S.:** Electron beam microanalyzer: A new tool for electron device development.

Summary of *STP 300*, 1429.

Heating, electrical. Report of Committee B-4, 229.

Heat flow analysis, solution of problems by numerical method (Harmathy). Summary of *STP 301*, 45.

**Heat**

release materials in fires (Loftus, Gross, and Robertson), 1336 (R). Disc., 1348.

sink, electromagnetic determination of nickel thickness for re-entry vehicle heat sink (LoPilato and Hastings), *MR&S*, March, 188.

transfer through insulated flat roofs (Powell and Robinson). Summary of *STP 312*, 1431.

treatment, effect on electrical properties (Starr, Wang, and Hofacker), 831.

treatment, titanium alloys (Hickey, Jr.), 866.

**Hein, T. C., and Schmidt, R. J.:** Air permeabilities of asphalt concrete. Summary of *STP 309*, 1306.



**Heithaus, J. J.**

Measurement of asphalt viscosity with a vacuum capillary viscometer. Summary of *STP 309*, 1306.

see Fink, D. F. and Heithaus, J. J.

Helium, creep rupture and fatigue of nickel alloys (Wall, Hengstenberg, and Gayley), 970.

**Helmke, George:** A comparison of electrostatic and high-efficiency impingement air filters for use in device development laboratories. Summary of *STP 300*, 1429.

**Hengstenberg, T.,** see Wall, F. J., Hengstenberg, T., and Gayley, H. B.

**Hessinger, P., Strott, A., and Haura, B.:** Beryllium oxide dielectric heat sinks for electronic devices. Summary of *STP 300*, 1429.

Hexane. Report of Committee D-2, 472.

**Hickey, Charles F., Jr.**

Mechanical properties of titanium alloys as a function of heat treatment and section size, 866.

Tensile strength-hardness correlation for titanium alloys, 857.

**High temperature**

behavior (materials sciences) *MR&S*, Sept., 740.

fatigue and bending strain measurements (Danek, Smith, and Achter), 775 (*R. Disc.*, 787.

mechanical properties of type H-7213 Micarta (Astrokon) (Lu and Nash), *MR&S*, Oct., 788.

molybdenum coating application under fatigue (Mittenbergs, Haley, and Williams), 757. *Disc.*, 774.

reinforced plastics pierce heat barrier (Perry), *MR&S*, Feb., 122.

resistance strain gages (Bloss), *MR&S*, Jan., 9.

stress-rupture tests at 1350 F on type 304 stainless steel (Jenkins, Willard, and Youden), *MR&S*, Feb., 104.

**High-strength materials**

austenitic, production (Hammer, Jr., Stemann, and Weismantel), 809. *Disc.*, 817.

fracture (Srawley and Beachem). Summary of *STP 302*, 1026.

High-purity metals (materials sciences), *MR&S* Nov., 900.

Highly stressed volume, concept in fatigue (Kuguel), 732 (*R. Disc.*, 747.

**Hilado, C. J.,** discussion, *MR&S*, April, 277.

**Hill, W. H., Shimmis, K. D., and Wilcox, B. A.:** Elevated-temperature dynamic moduli of metallic materials, 890. *Disc.*, 906.

**Hodge, John M.:** Steels of improved fracture toughness. Summary of *STP 302*, 1026.

**Hofacker, K. A.,** see Starr, C. Dean, Wang, T. P., and Hofacker, K. A.

Hogentogler award to C. B. Crawford, *MR&S*, July, 570.

**Holden, F. C.,** see Breindel, W. W., Carlson, R. L., and Holden, F. C.

**Holshouser, W. L., and Utech, H. P.:** Effect of oleophobic films on fatigue crack propagation, 749 (*R. Disc.*, 755.

**Hook, R. E., Adair, A. M., and Spretnak, J. W.:** Creep testing by centrifugal-force loading, *MR&S*, June, 464.

**Hopkinson, B. E.,** see Copson, H. R., Hopkinson, B. E., and Lang, F. S.

**Horne, Edward L.,** discussion, 930.

**Horne, Edward L.,** discussion, 937.

**Horowitz, E., Mandel, J., Capott, R. J., and Boone, T. H.:** Microscopical methods for measuring thickness of floor coverings, *MR&S*, Feb., 99.

**Horowitz, H. H.,** see Forster, E. C., and Horowitz, H. H.

**Howden, W. E.,** see Feder, D. O., Howden, W. E., Huff, D. R., and Richards, J. W.

**Hoyt, S. L.:** Testing carbonyl, *MR&S*, July, 546.

**Huey Test,** predicting corrosion behavior (Copson, Hopkinson, and Lang), 879.

**Huff, D. R.,** see Feder, D. O., Howden, W. E., Huff, D. R., and Richards, J. W.

**Hunstad, N. A.,** see Selby, Theodore W., and Hunstad, Norman A.

**Hurlich, A.,** see Watson, J. F., Christian, J. L., Tanalski, T. T., and Hurlich, A.

**Hyatt, K.,** see Pastell, D. L., and Hyatt, K.

Hydraulic cement mortars, flexural strength (Swayze), 1051. *Disc.*, 1057.

**Hydrocarbons**

aromatic. Report of Committee D-16, 551.

distillates, liquid phase oxidation (Bender). Summary of *STP 298*, 1427.

**I**

Ice from the sky (random samples), *MR&S*, March, 233.

Ice, growth in supercooled water (Marburg Lecture) (Kinzel).\*

**Impact**

liquid drops, various types and problem of erosion (Engel). Summary of *STP 307*, 1426.

liquids at high speeds (Brunton). Summary of *STP 307*, 1426.

resistance, effect of U-notch depth (Reymond). Summary of *STP 302*, 1026.

tensile tests, steel (Hall). Summary of *STP 302*, 1026.

testing, effects of variables in Charpy impact testing (Fahey), *MR&S*, Nov., 872.

testing, subsize Charpy correlation with standard Charpy (Curl), *MR&S*, Feb., 91.

testing, tensile, for plastics (Westover and Warner), *MR&S*, Nov., 867.

values equivalent to 15 ft-lb Charpy-U (Reymond). Summary of *STP 302*, 1026.

Impingement, liquid drops (Engel). Summary of *STP 307*, 1426.

**Impurities**

ceramic materials (Cutler). Summary of *STP 304*, 1424.

electron probe for detecting in alloys (Birks and Seebold). Summary of *STP 308*, 1028.

in high-purity metals (Wyman and Moore). Summary of *STP 304*, 1424.



**Impurities (continued)**

- mass spectrometry analysis (Stevens). Summary of *STP 308*, 1028.
- steam, high pressure boilers (Ulmer and Klein), 1396. Disc., 1412.
- symposium on major effects of minor constituents on the properties of materials. Summary of *STP 304*, 1424.
- Inconel, compression and buckling, temperatures up to 1400 F (Dubuc and Welter). Summary of *STP 303*, 1027.
- Inconel X
- creep rupture and fatigue in helium (Wall, Hengstenberg, and Gayley), 970.
  - fatigue in air and vacuum (Danek, Smith, and Achter), 775 (R). Disc., 787.
- Inderbitzen, A. L.:** Erosion test for soils, *MR&S*, July, 553.
- Indium-gallium alloys, spectrochemical analysis (Appendix I), Report of Committee E-2, 620.
- Industrial water, *see* Water.
- Information, thoughts on information problem (Costello), *MR&S*, June, 474.
- Infrared inspection and measuring techniques (Wilburn), *MR&S*, July, 528.
- Ink, use of Stormer viscometer for testing rotogravure and flexographic ink (Cummings), *MR&S*, Jan., 30.
- Instrumentation, atmospheric analysis. Report of Committee D-22, 589.
- Insulation versus exudation, compatibility between bitumens (Oliensis), *MR&S*, Sept., 723.
- Insulating liquids and gases. Report of Committee D-27, 598.
- Insulating materials
- electrical. Report of Committee D-9, 513.
  - thermal. Report of Committee C-16, 439.
- Intergranular corrosion, nickel-iron-chromium alloy (Copson, Hopkinson, and Lang), 879.
- Insulation
- electrical, liquids and gases. Report of Committee D-27, 598.
  - flat roofs, heat transfer (Powell and Robinson). Summary of *STP 312*, 1431.
  - thermal conductivity test on insulating materials (Norris and Fitzroy), *MR&S*, Sept., 727.
- Invar, *see* Alloys.
- Ionization energy, converted to lattice damage (Noggle and Stiegler). Summary of *STP 306*, 1425.
- Irani, R. R., and Ames, D. P.:** Size of irregular particles, *MR&S*, Aug., 637.
- Iron
- cast. Report of Committee A-3, 130.
  - cast, malleable, atmospheric exposure of ferrous metals (Appendix), Report of Committee A-7, 164.
  - malleable. Report of Committee A-3, 130.
  - cast, malleable. Report of Committee A-7, 162.
  - modular. Report of Committee A-3, 130.
- Iron and steel corrosion.
- Report of Committee A-5, 133.
  - wrought. Report of Committee A-2, 128.
- Irradiated fuel cores
- microstructural changes (Bates). Summary of *STP 306*, 1425.

**Irradiated uranium oxide**

- (Bain). Summary of *STP 306*, 1425.
  - effect (Bleiberg, Yeniscavich, and Gray). Summary of *STP 306*, 1425.
  - voids (Bates). Summary of *STP 306*, 1425.
- Irradiation
- damage in uranium monocarbide (Freas, Austin, and Rough). Summary of *STP 306*, 1425.
  - performance of  $UO_2$ , excessive oxygen (Robertson). Summary of *STP 306*, 1425.
  - release of fission gas from uranium oxide (Carroll). Summary of *STP 306*, 1425.
  - see* Radioisotopes.
- Isotropic dilution method, impurities analysis by mass spectrometry (Stevens). Summary of *STP 308*, 1028.
- Ives, G. C., and Mead, J. A.:** Cryostat for mechanical testing of materials, *MR&S*, March, 194.

**J**

- Jacob, E. S.,** *see* Feder, D. O., and Jacob, E. S.
- Jenkins, W. D., Willard, W. A., and Youden, W. J.:** Stress-rupture test at 1350 F on type 304 stainless steel, *MR&S*, Feb., 104.
- Jet fuel, determination of undissolved water in (Gardener and Topol), *MR&S*, Feb., 112.
- report of Committee D-2, 472.
- Jet-impact method, erosion by liquid impact, experimental study (DeCorso and Kothmann). Summary of *STP 307*, 1426.
- Johnson, D. E., Koretsky, J., and Smalley, A. K.:** Irradiation of  $BeO-UO_2$  fuel pellets. Summary of *STP 306*, 1425.
- Johnson, L. E.,** discussion, 1412.
- Joints
- structural, creep deformation (Marin), 931. Disc., 937.
  - welded, tensile ratios and fatigue of steel (Watson, Christian, Tanalski, and Hurlich). Summary of *STP 302*, 1026.
- Jones, M. H.,** *see* Espey, G. B., Jones, M. H., and Brown, W. F., Jr.
- Jordan, C. B.:** Detection of glycols in crankcase oils, *MR&S*, Jan., 30.
- Joy, F. A., and Gavan, F. M.:** Wanted: standard reference sheet for water vapor permeance, *MR&S*, Oct., 803.
- Judd, Deane B.:** A five-attribute system of describing visual appearance. *See* *STP 297*.
- Juve, A. E., and Schoch, M. G., Jr.:** Effect of temperature on air aging of rubber vulcanizates, *MR&S*, July, 542.

**K**

- Kampf, Leo:** Workability of masonry mortars, *MR&S*, Jan., 7. Disc., *MR&S*, Oct., 799.
- Kattus, J. R.:** Summary. Summary of *STP 303*, 1027. *See also*, Morrison, J. D., and Kattus, J. R.
- Kattus, J. R., and Lessley, H. L.:** Determination of compressive, bearing, and shear creep of sheet metals, 920. Disc., 930.
- Keeton, John R.:** Strain distribution in com-

- pressively loaded concrete specimens, 1197. Disc., 1220.
- Kennedy, Thomas B.:** Significance of test for calcium sulfate in hydrated portland-cement mortar, 1035. Disc., 1038.
- Kerosine. Report of Committee D-2, 472.
- Keyser, J. Hode, and Gaudette, N. G.:** The significance of variation in asphalt content of paving mixtures. Summary of *STP* 309, 1306.
- King, W. H., and Harding, R. E.:** Evaluation of compression set testing—standard versus variable deflection methods. See *STP* 311.
- Kinzel, Augustus B.:** Specifications?! (Gillett Memorial Lecture).\*
- Klaus, E. Erwin, Angeloni, Francis M., and Fenske, Merrell R.:** Development and application of the PRL single-pass capillary viscometer. Summary of *STP* No. 299, 1428.
- Klein, A.,** see Polivka, M., et al.
- Klein, H. A.,** see Ulmer, R. C., and Klein, H. A.
- Klieger, Paul,** discussion, 1154.
- Klier, E. P., and Weiss, Volker:** The effect of section size on the notch strength and fracture development in selected structural metals, 1307 (R).
- Kloeblen, E. M.:** Introduction. Summary of *STP* 302, 1026; ASTM standards in ASME boiler and pressure vessel code, *MR&S*, Dec., 978.
- Kohute, H.,** see France, L. L., et al.
- Knock, symposium on current research on motor gasoline which may affect future specifications. Summary of *STP* 298, 1427.
- Knock ratings, customer satisfaction on the road (Getz and Wagner). Summary of *STP* 298, 1427.
- Kodel, I. M.,** see Whitfield, W. J., Marsh, R. C., and Kodel, I. M.
- Kohl, G. A., and Skoglund, R. D.:** An investigation of low-temperature viscosity characteristics of motor oils. Summary of *STP* No. 299, 1428.
- Koontz, D. E.**  
Preface. Summary of *STP* 300, 1429.  
see Thomas, C. O., Craft, W. H., and Koontz, D. E.
- Koppes, Wayne F.:** Performance testing of metal curtain walls. Summary of *STP* 312, 1431.
- Koretsky, J.,** see Johnson, D. E., et al.
- Kosting, P. R.,** discussion, *MR&S*, Sept., 716.
- Kothmann, R. E.,** see DeCorso, S. M., and Kothmann, R. E.
- Kubota, J. K.,** see Eden, W. J., and Kubota, J. K.
- Kuentzel punch card index, see Wyandotte-ASTM punch card index.
- Kuguel, Roberto:** A relation between theoretical stress concentration factor and fatigue notch factor deduced from the concept of highly stressed volume, 732 (R). Disc., 747.
- Kula, E. B., and Fahey, N. H.:** Elongation in sheet tension specimens, *MR&S*, Aug., 631.
- Kuntze, R. A.,** see McAdie, H. G., and Kuntz, R. A.
- L**
- Laboratories, plan for self-qualification of (discussion) (Monaghan), *MR&S*, Sept., 729.
- Laboratory vane test, measuring sensitivity of clays (Eden and Kubota), 1239.
- Lacquer, see Paint.
- Laminated structures, effect of thickness (Bluhm), 1332.
- Lane, R. W.,** discussion, 1417.
- Lang, F. S.,** see Copson, H. R., Hopkinson, B. E., and Lang, F. S.
- Langer, H. A.,** see Váradí, P. F., Langer, H. A., and Saltzman, M. N.
- Larson, F. R.,** discussion, 817.  
see Nunes, J., and Larson, F. R.
- Law, specifications and (Layle), *MR&S*, April, 291.
- Layle, H. F.:** Specifications and the law, *MR&S*, April, 291.
- Leak rates, measured by viscous and molecular flow techniques (Maurer). Summary of *STP* 300, 1429.
- Leather. Report of ALCA-ASTM Joint Committee, 602.
- Lectures  
Gillett Memorial Lecture  
Specifications?! (Kinzel).  
Marburg Lecture  
The Growth of Ice in Supercooled Water (Chalmers).\*
- Leddycotte, G. W.:** Radioactivation analysis—A specific for trace element determinations. Summary of *STP* 308, 1028.
- Legatski, T. W., and Bridgeman, O. C.:** Significance in evaluation of motor fuel volatility. Summary of *STP* 298, 1427.
- Legget, R. F.:** Introduction. Summary of *STP* 312, 1431.
- Leith, W. C., and McIlquham, W. S.:** Accelerated cavitation erosion and sand erosion. Summary of *STP* 307, 1426.
- Lerch, William:** Significance of tests for sulfate resistance, 1043. Disc., 1049.
- Lessley, H. L.,** see Kattus, J. R., and Lessley, H. L.
- Liebson, Morris:** Arc sealing of borosilicate glasses. Summary of *STP* 300, 1429.
- Lime. Report of Committee C-7, 405.
- Liquid impact study (DeCorso and Kothmann). Summary of *STP* 307, 1426.
- Liquid phase oxidation, hydrocarbon distillates (Bender). Summary of *STP* 298, 1427.
- Liquidified petroleum gas  
report of Committee D-2, 472.  
report of Committee D-3, 487.
- Literature, get down to fundamentals (ACR notes) (Harris), *MR&S*, March, 223.
- Load-carrying ability in high-strength steel (Manning). Summary of *STP* 302, 1026.
- Loading sequence, effect on fatigue damage (Spitzer and Corten), 719 (R).
- Loading tests on house roofs (Thorburn and Schreiber). Summary of *STP* 312, 1431.
- Loftus, J. J., Gross, D., and Robertson, A. F.:** Potential heat: a method for measuring the heat release of materials in building fires, 1336 (R). Disc., 1348.

- Logarithms, convenient way to find natural logarithms useful for true strain values (Crum), *MR&S*, Dec., 967.
- Lominska, C. A.:** Exposure testing of protective paints for metals, *MR&S*, Aug., 620.
- Lontz, John F.:** Major effects from minor constituents—role in organic structural polymers. Summary of *STP 304*, 1424.
- LoPilato, S. A., and Hastings, C. H.:** Electromagnetic determination of nickel thickness for re-entry vehicle heat sinks, *MR&S*, March, 188.
- Lorig, C. H.:** Role of technical societies, *MR&S*, March, 201.
- Low-cycle fatigue, fractures of elastoplastic deformation (Sørensen and Shneiderovitch), 789.
- Low temperature apparatus for hardness testing (France, Begley, and Kohute), *MR&S*, March, 192.
- cryostat for mechanical testing (Ives and Mead), *MR&S*, March, 194.
- cryostat for tension testing at  $-423^{\circ}\text{F}$  (Watson and Christian), *MR&S*, Feb., 87.
- ferritic steel (Wells). Summary of *STP 302*, 1026.
- symposium on evaluation of metallic materials in design for low-temperature service. Summary of *STP 302*, 1026.
- tensile cryostat for temperature range 4 to 300 K (McClintock and Warren), *MR&S*, Feb., 95.
- tensile-hardness correlations for SAE 4340 steel (discussion) (Sands and Nunes), *MR&S*, April, 286.
- see Temperature, low.
- Lu, S. Y., and Nash, W. A.:** Effects of elevated temperatures on mechanical properties of type H-7213 Micarta (Astrokon), *MR&S*, Oct., 788.
- Lu, S. Y., Trubert, Marc, and Nash, William A.:** Elevated temperature characteristics of type 347 stainless steel, 1008.
- Lubricants decreasing greasing (random samples), *MR&S*, June, 491.
- report of Committee D-2, 472.
- see also Petroleum and Oil.
- Lubrication behavior, non-Newtonian (Philippoff). Summary of *STP 299*, 1428.
- Lynn, Ivan L., and Palmer, Kenneth E.:** Correlation of flexural and compressive strengths of concretes and mortars, 1180.
- Lyons, L. J.:** Transducer parameters affecting sonic cleaning. Summary of *STP 300*, 1429.
- Lysaght, V. E.,** see Driscoll, D. E., et al.
- Lyst, J. O.,** see Butz, G. A., and Lyst, J. O.
- M**
- Macromolecules, linear, non-Newtonian viscosity (Peterlin). Summary of *STP 299*, 1428.
- Magnesium alloy, elevated-temperature compressive yield (Fenn, Jr.). Summary of *STP 303*, 1027.
- alloy, die-cast, exposure tests (Appendix I), Report of Committee B-6, 265.
- report of Committee B-6, 264.
- report of Committee B-7, 282.
- Magnetic properties. Report of Committee A-6, 160.
- Magnet wire insulation. Report of Subcommittee X of Committee D-9, 518.
- Malleable iron report of Committee A-3, 130.
- report of Committee A-7, 162.
- Mandel, J.,** see Horowitz, E., et al.
- Manning, G. K.:** Effect of small cracks on the load-carrying ability of high-strength steel. Summary of *STP 302*, 1026.
- Manns, T.,** see Smith, C. A., and Manns, T.
- Manson, S. S., Nachtigall, A. J., and Freche, J. C.:** A proposed new relation for cumulative fatigue damage in bending, 679 (R). Disc., 692.
- Marburg Lecture, The growth of ice in super-cooled water (Chalmers).<sup>a</sup>
- Marculier, F. J.:** The mechanism of grinding aids, 1078 (R). Disc., 1091; discussion, *MR&S*, Oct., 799.
- Marin, Joseph:** Creep of structural joints from simple tensile creep, 931. Disc., 937.
- Markovich, R., and Schwartzberg, F.:** Testing techniques and evaluation of materials for use at liquid hydrogen temperature. Summary of *STP 302*, 1026.
- Markwardt, L. J., and Wood, L. W.:** ASTM research potential-unlimited, *MR&S*, July, 553.
- Marsh, Herbert W.:** Design of cryogenic storage tanks for industrial applications. Summary of *STP 302*, 1026.
- Marsh, R. C.,** see Whitfield, W. J., Marsh, R. C., and Kodel, I. M.
- Marshall, T. A., Jr.:** Pan American Standards Committee, *MR&S*, Oct., 808.
- Masonry curtain walls testing (Monk). Summary of *STP 312*, 1431.
- manufactured units. Report of Committee C-15, 436.
- moisture penetration and bond strength of brick masonry (Ritchie), *MR&S*, May, 360.
- mortar. Report of Committee C-12, 429.
- Mass spectroscopy. Report of Committee D-3, 487.
- Mateos, Manuel,** see Vincent, Robert D., Mateos, Manuel, and Davidson, D. T.
- Materials barrier (materials sciences) *MR&S*, July, 579.
- properties. Symposium on major effect of minor constituents on the properties of materials. Summary of *STP 304*, 1424.
- quality control. Report of Committee E-11, 648.
- Materials Sciences, Division of highlights of division council meeting, *MR&S*, Aug., 665.
- major effects of minor constituents on the properties of materials, Summary of *STP 304*, 1424.
- meeting at Cincinnati, *MR&S*, Aug., 666.
- report of executive committee meeting, *MR&S*, March, 220.
- Maurer, D. W.:** Comparison of standard leak

- rates measured by viscous and molecular flow techniques. Summary of *STP 300*, 1429.
- McAfee, H. G., and Kuntze, R. A.:** Determination of gypsum and its dehydration products, *MR&S*, Jan., 27.
- McClintock, F. A.,** discussion, *MR&S*, April, 277.
- McClintock, R. M., and Warren, K. A.:** Tensile cryostat for temperature range 4 to 300K, *MR&S*, Feb., 95.
- McCoy, H. E.,** discussion, 967.
- McIlquham, W. S.,** see Leith, W. C., and McIlquham, W. S.
- McKee, K. E.,** see Shenkman, S., and McKee, K. E.
- Mead, J. A.,** see Ives, G. C., and Mead, J. A.
- Measurement**
- biaxial stress in noncohesive soils (Bernhard). Summary of *STP 305*, 1305.
  - fatigue and bending strain (Danek, Smith, and Achter), 775 (R). Disc., 787.
  - permeability of asphalt concrete (Hein and Schmidt). Summary of *STP 309*, 1306.
  - sensitivity of clays (Eden and Kubota), 1239.
  - sliding plate microviscometer (Fink and Heithaus). Summary of *STP 309*, 1306.
  - vacuum capillary viscometer (Heithaus). Summary of *STP 309*, 1306.
  - viscosity of paving cements (Fink and Griffin). Summary of *STP 309*, 1306.
  - volume of compacted asphalt concrete (Cal-research pavement density method) (Santucci and Schmidt). Summary of *STP 309*, 1306.
- Mechanical resonance frequencies, determination** (Spinner and Teft, 1221 (R). Disc., 1238.
- Mechanical properties**
- plastics. Report of Subcommittee I of Committee D-20, 579.
  - steel at elevated temperatures (Lu, Trubert, and Nash), 1008.
- Meites, Louis:** Some recently developed electroanalytical techniques for the determination of traces of metals. Summary of *STP 308*, 1028.
- Melehan, J. B., and Rough, F. A.:** In-pile fission-gas release from  $UO_2$ . Summary of *STP 306*, 1425.
- Merrill, Edward W.:** Viscometry of polymer solutions in a coaxial-cylinder viscometer under high rates of shear. Summary of *STP 299*, 1428.
- Mesnager notched specimens, impact values** (Reymond). Summary of *STP 302*, 1026.
- Metallic coatings, electrodeposited.** Report of Committee B-8, 326.
- Metallic materials**
- report of Committee B-4, 229.
  - symposium on evaluation of metallic materials in design for low-temperature service. Summary of *STP 302*, 1026.
  - thermostats and electrical resistance, heating and contacts. Report of Committee B-4, 229.
- Metallography.** Report of Committee E-4, 635.
- Metal powder.** Report of Committee B-9, 365.
- Metals**
- chemical analysis. Report of Committee E-3, 630.
  - effect of temperature on properties. Report of Joint ASTM-ASME Committees, 370.
  - frost heave (Marburg Lecture) (Chalmers). \* Poisson's Ratio in elastoplastic (Theocaris), 838 (R).
  - report on physical properties of metals and alloys from cryogenic to elevated temperatures (Eldridge and Deem). See *STP 296*.
  - sheet, determination of creep (Kattus and Lessley), 920. Disc., 930.
  - structural, effect of size, notch strength, and fracture (Klier and Weiss), 1307 (R).
  - symposium on extension of sensitivity for determining various constituents in metals. Summary of *STP 308*, 1028.
  - trace, electroanalytical determination (Meites). Summary of *STP 308*, 1028.
- see under specific name of metal.
- Metals and alloys**
- designations for codification (Appendix II). Report of Committee B-7, 300.
  - die-cast. Report of Committee B-6, 264.
  - light, cast, and wrought. Report of Committee B-7, 282.
  - light, proposed recommendations affecting standards, (Appendix I). Report of Committee B-7, 286.
  - major effect of minor constituents on the properties of materials. Summary of *STP 304*, 1424.
  - nonferrous. Report of Committee B-2, 199.
  - nonferrous, corrosion. Report of Committee B-3, 202.
- Methods of testing.** Report of Committee E-1, 606.
- Meyerson, M. R.,** see Carwile, N. L., et al.
- Meyerson, M. R., Young, T. R., and Ney, W. R.:** Development of more stable gage locks, *MR&S*, May, 368.
- Mica bridges.** Report of Subcommittee II of Committee F-1, 672.
- Mica products.** Report of Subcommittee IX of Committee D-9, 518.
- Microanalyzer, electron beam** (Hayes). Summary of *STP 300*, 1429.
- Microfilm durability test, changes in asphalt viscosities** (Halstead and Zenewitz). Summary of *STP 309*, 1306.
- Micrography, high speed** (ACR notes) (Courtney-Pratt), *MR&S*, May, 406.
- Microscopy, electron**
- fractographic analysis of steel (Tiner), 800 (R).
  - role in fatigue studies (Wilsdorf), *MR&S*, Aug., 640.
- Microscopy, optical, fractographic analysis of steel** (Tiner), 800 (R).
- Microstructure, X-rays, electrons** (materials sciences), *MR&S*, Nov., 899.
- Microviscometer**
- papers on road and paving materials and symposium on microviscometry. Summary of *STP 309*, 1306.

- Microviscometer (*continued*)  
 sliding plate, precision of measurement (Fink and Heithaus). Summary of *STP* 309, 1306.
- Mineral materials, sorptive. Report of Committee C-23, 454.
- Mineral oil  
 insulation. Report of Subcommittee A of Committee D-27, 599.  
 systems, forced-ball viscometer application (Selby and Hunstad). Summary of *STP* 299, 1428.
- Missiles, fractographic analysis of motor casings (Tiner), 800 (*R*).
- Mitchell, J. E., discussion, 1287.
- Mitchell, N. B., Jr.: Indirect tension tests for concrete, *MR&S*, Oct., 780.
- Mitchell, Nolan D., discussion, 1348.
- Mittenbergs, A. A., Haley, G. D., and Williams, D. N.: Fatigue properties of uncoated and coated unalloyed molybdenum at 1800 F, room temperature, and -40 F, 757. Disc., 774.
- Modular iron. Report of Committee A-3, 130.
- Modulus of rigidity, soft silty mud in earthquakes (Converse). Summary of *STP* 305, 1305.
- Moisture  
 deposition on corrosion specimens, (Sereda), *MR&S*, Sept., 719.  
 effect on heat transfer through insulated flat roofs (Powell and Robinson). Summary of *STP* 312, 1431.  
 fly ash strength samples, procedure (Vincent, Mateos, and Davidson), 1094, 1117.  
 loss of, from fresh mortars to bricks (Davidson), *MR&S*, May, 385.  
 penetration of brick masonry (Ritchie), *MR&S*, May, 360.
- Molded materials. Report of Subcommittee III of Committee D-9, 517.
- Molding, plastics. Report of Subcommittee IX of Committee D-20, 581.
- Mole, the mole changeth (materials sciences), (Guggenheim), *MR&S*, May, 404.
- Molybdenum  
 creep and strain rates (Barr, Semchyshen, and Timmons), 847.  
 fatigue at various temperatures (Mittenbergs, Haley, and Williams), 757. Disc., 774.  
 tensile properties at room temperature (Barr, Semchyshen, and Timmons), 847.
- Monagham, H. F., discussion, *MR&S*, Sept., 729.
- Monismith, C. L.: Introduction, symposium on microviscometry. Summary of *STP* 309, 1306.
- Monk, C. B.: Structural testing of clay masonry curtain walls. Summary of *STP* 312, 1431.
- Montmorillonite, soil, by X-ray diffraction (Glenn and Handy), 1277 (*R*). Disc., 1287.
- Moon, Donald P. and Simmons, Ward F.: The creep and rupture properties of five copper-base casting alloys, 938.
- Moore, A. A., see Fenn, R. W., Jr., and Moore, A. A.
- Moore, G. A., see Wyman, L. L., and Moore, G. A.
- Morris, E. B., discussion, 1419.
- Morrison, George H., and Rupp, R. L.: Ultratrace Emission spectroscopy. Summary of *STP* 308, 1028.
- Morrison, J. D., and Kattus, J. R.: Fracture toughness measurements with sheer-cracked specimen, *MR&S*, Dec., 968.
- Mortar  
 chemical resistant. Report of Committee C-3, 400.  
 flexural and compressive strength (Lynn and Palmer), 1180.  
 influence of particle-size distribution on strength and workability of vibrated mortar (Guiliani and Robledo), *MR&S*, March, 183.  
 loss of moisture from fresh mortars to bricks (Davidson), *MR&S*, May, 385.  
 workability of masonry mortar, 7; discussion, (Dempsey, Halsted, Mardulier, Kampf), *MR&S*, Oct., 798.
- Motors, casings, missile, fractographic analysis (Tiner), 800 (*R*).
- Motor oil viscosity in low temperature (Kohl and Skoglund). Summary of *STP* 299, 1428.
- Mowbray, A. Q., editorials, *MR&S*, Jan., 32; Feb., 116, March, 200, April, 263, May, 359, June, 447, Aug., 619, Sept., 699, Oct., 779, Dec., 941.
- Murphy, R. B.: Precision and accuracy, *MR&S* April, 264.

## N

- Nachtigall, A. J., see Manson, S. S., Nachtigall, A. J., Freche, J. C.
- Nash, William A., see Lu, S. Y., Trubert, Marc, and Nash, William A.
- National Bureau of Standards, education and training program (materials sciences) *MR&S*, June, 485.
- NATO, international materials research center proposed (materials sciences), *MR&S*, Feb., 132.
- Natural gas. Report of Committee D-3, 487.
- Naval stores. Report of Committee D-17, 554.
- Newlon, H. H., discussion, 1220.
- Newmark, N. M., see Sinnamon, G. K., and Newmark, N. M.
- Ney, W. R., see Meyerson, M. R., et al.
- Nickel  
 alloys, creep fracture (Reuther, Shahinian, and Achter), 956. Disc., 967.  
 alloys, creep rupture and fatigue properties in helium (Wall, Hengstenberg, and Gayley), 970.  
 alloys, dynamic modulus measurement (Hill, Shimm, and Wilcox), 890. Disc., 906.  
 fatigue in air and vacuum (Danek, Smith, and Achter), 775 (*R*). Disc., 787.  
 fracture in creep (Reuther, Shahinian, and Achter), 956. Disc., 967.
- Nickel-aluminum alloys, creep testing by centrifugal-force loading (Hook, Adair, Spretnak), *MR&S*, June, 464.
- Nickel-chromium  
 alloy, electrical properties (Starr, Wang, and Hofacker), 831.

alloy, *see also* Inconel.  
 coatings performance on steel (Appendix I),  
 Report of Committee B-8, 329.  
 Nickel-iron-chromium alloy, intergranular corrosion evaluation tests (Copson, Hopkinson, and Lang), 879.  
 Ni-o-nel, intergranular corrosion evaluation tests (Copson, Hopkinson, and Lang), 879.  
 Noble, Lowell, and Waits, Robert K.: Mass spectrometric studies of power klystron exhaust processing. Summary of *STP* 300, 1429.  
 Noggle, T. S., and Stiegler, J. O.: Fission fragment tracks in thin films of  $\text{UO}_2$ . Summary of *STP* 306, 1425.  
 Non-Newtonian materials, measurement with viscometer (Heithaus). Summary of *STP* 309, 1306.  
 Non-Newtonian viscometry, Symposium. Summary of *STP* 299, 1428.  
 Norris, R. H., and Fitzroy, N. D.: Thermal conductivity test on insulating materials, *MR&S*, Sept., 727.  
 Notch ductility ratio, analysis of notch tensile strength (Weiss and Sessler). Summary of *STP* 302, 1026.  
 Notch properties of sheet alloys (Weiss and Sessler). Summary of *STP* 302, 1026.  
 Notch strength  
   effect of section size (Klier and Weiss), 1307 (R).  
   effect of temperature (Weiss and Sessler). Summary of *STP* 302, 1026.  
 Notch tensile ratio, analysis of notch tensile strength (Weiss and Sessler). Summary of *STP* 302, 1026.  
 Notch tensile strength by notch ductility ratio (Weiss and Sessler). Summary of *STP* 302, 1026.  
 Nuclear radiation  
   effects on rubber (Born), *MR&S*, April, 280.  
   report of Subcommittee II of Committee D-9, 517.  
 Nuclear weapons effects, dynamic bearing capacity of soils (Cunny and Sloan). Summary of *STP* 305, 1305.  
 Nunes, J., discussion, *MR&S*, April, 287.  
 Nunes, John, and Larson, F. R.: A method for determining the plastic flow properties of sheet and round tension test specimens, 1349

## O

gation (Holshouser and Utech), 749 (R) Disc., 755.  
 Oleson, Calvin C., discussion, 1141.  
 Oliensis, G. L.: Compatibility between bitumens-exudation versus insudation, *MR&S*, Sept., 723.  
 Optical microscopy, *see* Microscopy, optical.  
 Optical properties. Report of Subcommittee IV of Committee D-20, 580.  
 Optical technique, measuring plastic bending strain (Danek, Smith, and Achter), 775 (R). Disc., 787.  
 Owings, Elliott P., *see* Goode, Joseph F., and Owings, Elliott P.  
 Oxygen, determining trace amounts in gaseous ambients (Feder and Craft). Summary of *STP* 300, 1429.

## P

Packaging  
   report of Administrative Committee on Simulated Service Testing, 101.  
   report of Committee D-10, 521.  
 Paint  
   exposure testing of protective paints for metals (Lominska), *MR&S*, Aug., 620.  
   insulating. Report of Subcommittee I of Committee D-9, 517.  
   report of Committee D-1, 459.  
   report of Committee E-12, 649.  
 Palmer, K. E., *see* Lynn, I. L., and Palmer, K. E.  
 Palmgren-Miner, predicting fatigue life (Manson, Nachtigall, and Freche), 679 (R). Disc., 692.  
 Pan American Standards Committee (Marshall), *MR&S*, Oct., 808; Uruguay meeting *MR&S*, July, 574.  
 Paper  
   carbon. Report of Committee E-12, 649.  
   insulating. Report of Subcommittee VIII of Committee D-9, 518.  
   reflectance. Report of Committee E-12, 649.  
   report of Committee D-6, 500.  
 Papirno, Ralph, and Gerard, George: Compression testing of sheet materials at elevated temperatures. Summary of *STP* 303, 1027.  
 Parameter  
   creep, Rabotnov's (Goldhoff), 907.  
   rheological, correlations (Brodnyan, Gaskins, and Philippoff). Summary of *STP* 299, 1428.  
 Particles  
   air-borne, size distribution and identification (Allison). Summary of *STP* 300, 1429.  
   concentration in ultraclean rooms (van Luik). Summary of *STP* 300, 1429.  
   influence of size distribution on strength and workability of vibrated mortar, *MR&S*, March, 183.  
   irregular particles (Irani and Ames), *MR&S*, Aug., 637.  
 Particulate matter. Report of Committee D-22, 589.  
 Pastell, D. L., and Hyatt, K.: Other abnormal combustion phenomena—are gasoline speci-



- Pastell, D. L., and Hyatt, K.** (*continued*)  
fications necessary? Summary of *STP 298*, 1427.
- Pavements, *see* Asphalt.
- Paving, *see* Road and Paving.
- Payne, A. R.:** Sinusoidal strain dynamic testing of rubber products, *MR&S*, Dec., 942.
- Pellissier, G. E.,** *see* Boggs, W. E., and Pellissier, G. E.
- Penrod, R. E.,** *see* Wyman, L. L., and Penrod, R. E.
- Permanence properties. Report of Subcommittee V of Committee D-20, 580.
- Permeability, air of asphalt concrete (Hein and Schmidt). Summary of *STP 309*, 1306.
- Permeance, water vapor, standard reference sheet for (Fenn and Moore), *MR&S*, Oct., 803.
- Perry, H. A.:** Reinforced plastics pierce heat barrier, *MR&S*, Feb., 122.
- Peterlin, Anton:** Non-Newtonian intrinsic viscosity of linear macromolecules. Summary of *STP 299*, 1428.
- Petersen, P. H.,** discussion, 1220.
- Peterson, R. E.:** Introduction. Summary of *STP 307*, 1426.
- Petroleum  
aids for Ramsbottom carbon residue test (Taylor), *MR&S*, Aug., 626.  
effects of extraneous materials (Smith). Summary of *STP 304*, 1424.  
report of Committee D-2, 472.
- Phase nomenclature, ASTM system of (Fink and Wyman), *MR&S*, April, 289.
- Philippoff, W.**  
Non-Newtonian behavior in lubrication. Summary of *STP 299*, 1428.  
*see* Brodnyan, J. G., Gaskins, F. H., and Philippoff, W.
- Physical properties, AIChE to compute physical properties (materials sciences), *MR&S*, Feb., 131.
- Pipe  
clay. Report of Committee C-4, 403.  
concrete. Report of Committee C-13, 431.  
thermoplastic. Report of Subcommittee XVII of Committee D-20, 583.
- Plasma, physics and technology, gas purity (Buchsbaum and Sawyer). Summary of *STP 304*, 1424.
- Plaster  
chlorides in gypsum (Surkevicius), *MR&S*, Aug., 624;  
compression testing of gypsum plaster (Waters and Birtwistle), *MR&S*, May, 374.
- Plastics  
effect of elevated temperatures on mechanical properties of type H-7213 Micarta (Astrokon) (Lu and Nash), *MR&S*, Oct., 788.  
polymer crystals with folded chains (materials sciences), *MR&S*, Sept., 740.  
**R** (random samples), *MR&S*, July, 600.  
reinforced, pierce heat barrier (Perry), *MR&S* Feb., 122.  
report of Committee D-20, 574.  
report of Committee E-12, 649.  
tensile impact test (Westover and Warner), *MR&S*, Nov., 867.
- Plastic deformation, effect on electrical properties, (Starr, Wang, and Hofacker), 831.
- Plastic deformation measurement by two reference screens (Theocaris), 838 (R).
- Plastic flow properties, tension test specimens (Nunes and Larson), 1349.
- Plutonium-uranium oxide reactor fuel (Gerhart, Siltanen, and Cochran). Summary of *STP 306*, 1425.
- Pohle, E. M.:** Assessment of wool quality, *MR&S*, March, 168.
- Poisson's ratio, elastoplastic domain of metals (Theocaris), 838 (R).
- Polivka, M., Klein, A., and Best, C. H.:** Laboratory preparation of high-purity tricalcium silicate, *MR&S*, July, 524.
- Polymers  
organic structural, effects from minor constituents (Lontz). Summary of *STP 304*, 1424.  
viscometry under high rates of shear (Merrill). Summary of *STP 299*, 1428.
- Polyolefin plastics. Report of Subcommittee XII of Committee D-20, 582.
- Porcelain, *see* Enamel.
- Portland cement, *see* Cement, portland.
- Postirradiation anneal technique (Toner and Scott). Summary of *STP 306*, 1425.
- Potential heat, building fires (Loftus, Gross, and Robertson), 1336 (R). Disc., 1348.
- Pozzolans, variation in fly ash (Vincent, Mateos, and Davidson), 1094 (R).
- Powell, F. J., and Robinson, H. E.:** Measurement of the effect of moisture on heat transfer through insulated flat-roof constructions. Summary of *STP 312*, 1431.
- Power klystron exhaust, spectrometric studies (Noble and Waits). Summary of *STP 300*, 1429.
- Praeger, S. S.:** Determination of natural and manufactured fibers, *MR&S*, May, 381.
- Precision  
how to evaluate (Connor), *MR&S*, April, 272.  
meaning of (Murphy), *MR&S*, April, 264.
- Precision of measurement, statistical analysis on asphalt cements (Fink and Heithaus). Summary of *STP 309*, 1306.
- Premature stiffening, portland cement, 1029.
- Presaturation, core volume, immediate (Santucci and Schmidt). Summary of *STP 309*, 1306.
- Preservatives, wood. Report of Committee D-7, 503.
- Pressure gages  
diaphragm and barium titanate, embedded (Durelli and Riley). Summary of *STP 305*, 1305.  
embedded, performance under loadings (Durelli and Riley). Summary of *STP 305*, 1305.
- Pressure testing of tubing, (Symonds), *MR&S*, July, 539.
- Prestressing, fatigue resistance of aluminum alloys by mechanical surface prestressing (Butz and Lyst), *MR&S*, Dec., 951.
- Price, G. C.:** Investigation of concrete materials for the south Saskatchewan river dam, 1155.



- Printed wiring  
fatigue test for boards and through connections, (Gohn and Fox), *MR&S*, Sept, 711; discussion, 972.  
report of Subcommittee XV of Committee D-9, 519.
- PRL single-pass capillary viscometer (Klaus, Angeloni, and Fenske). Summary of *STP* 299, 1428.
- Proportional counting, gas phase, radiotracer technique (Stern). Summary of *STP* 300, 1429.
- Proposed absorption spectroscopy, methods identification of materials using the Wyandotte-ASTM (Kuentzel) Punched Card Index. Report of Committee E-13 (Appendix), 653.
- Proposed electrical contacts methods terms. Report of Committee B-4 (Appendix), 232.
- Proposed electrical insulation methods thermal stability of coated sleeves (dielectric breakdown method), D-9 *Comp.*, 1660.
- Proposed emission spectroscopy methods. spectrochemical analysis. Report of Committee E-2 (Appendix II), 624.  
spectrochemical analysis, indium-cadmium alloys by solution-graphite spark technique. Report of Committee E-2 (Appendix I), 620.
- Proposed petroleum products methods accelerated stability test for distillate fuel oil, D-2, Vol. I, *Comp.*, 1204.  
aviation turbine fuels, test for solid point, D-2, Vol. I, *Comp.*, 1147.  
barium, calcium, and zinc, test for in lubricating oils, D-2, Vol. I, *Comp.*, 1115.  
butane-butene mixtures, methods for use in specifications, D-2, Vol. I, *Comp.*, 1101.  
diesel fuel study by electron microscopy, D-2, Vol. I, *Comp.*, 1142.  
engine fuel sampling for cleanliness, D-2, *Comp.*, 1112.
- hydrocarbon types in low olefinic gasoline by mass spectrometry, D-2, Vol. I, *Comp.*, 1120.
- hydrocarbon types in olefinic gasoline by mass spectrometry, D-2, Vol. I, *Comp.*, 1128.
- knock characteristics by research method with split-head cylinder, D-2, Vol. I, *Comp.*, 1102.
- knock characteristics by 1170 severity method, D-2, Vol. I, *Comp.*, 1166.
- natural gas analysis by chromatography, D-2, Vol. I, *Comp.*, 1175.
- oxidation stability of steam-turbine oils, D-2, Vol. I, *Comp.*, 1195.
- particulate matter in aviation fuels, D-2, Vol. I, *Comp.*, 1208.
- residues in liquefied petroleum (LP) gases (end point index method), D-2, Vol. I, *Comp.*, 1096.
- rubber extender oils analysis (3 methods), D-2, Vol. I, *Comp.*, 1214: method I, 1226, method II, 1233, method III, 1235.
- shear-stability test of polymer-containing oils, D-2, Vol. I, *Comp.*, 1160.
- tetraethyllead and tetramethyllead separation in gasoline, D-2, Vol. I, *Comp.*, 1094.
- vapor pressure test (micromethod), D-2, Vol. I, *Comp.*, 1150.
- Proposed steel methods  
uncoated seven-wire stress-relieved strand for prestressed concrete. Report of Committee A-1 (Appendix II), 126.
- Proposed textile materials methods  
cotton fibers, length distribution by short method array, D-13 *Comp.*, 904.
- Protein materials, see Casein.
- Purity, pure substances and measurement (ACR notes) (Wichers), *MR&S*, April, 314.

## Q

- Quaglia, L., Byrne, J., and Reyling, G.: A 24-position semiautomatic vacuum tube exhaust machine. Summary of *STP* 300, 1429.
- Qualification, plan for self-qualification of laboratories (discussion) (Monaghan), *MR&S*, Sept., 729.
- Quality control  
concrete (Waddell), *MR&S*, June, 452.  
materials. Report of Committee E-11, 648.  
wool assessment (Pohle), *MR&S*, March, 168.
- Quality of observation  
analysis of planned experiments (Terry), *MR&S*, April, 273.  
evaluating accuracy (Youden), *MR&S*, April, 268.  
evaluating precision (Conner), *MR&S*, April, 272.  
precision and accuracy (Murphy), *MR&S*, April, 264.
- Quenching, apparatus for controlled slack quenching (Carwile, Meyerson, and Rosenberg), *MR&S*, July, 532.
- Quick set of portland cement (Hansen), *MR&S*, Oct., 791.

## R

- Rabotnov's Creep parameter (Goldhoff), 907.
- Radiation  
infrared inspection and measuring techniques (Wilburn), *MR&S*, July, 528.  
nuclear, effects on rubber (Born), *MR&S*, April, 280.  
on tyrants and tyrannies (editorial) *MR&S*, Dec., 941.  
report of Committee E-10, 646.  
report of Subcommittee II of Committee D-9, 517.  
report of Subcommittee II of Committee D-20, 580.  
sintering characteristics (Aitken). Summary of *STP* 306, 1425.  
symposium on radiation effects in refractory fuel compounds. Summary of *STP* 306, 1425.
- Radioactivation analysis, trace element determination (Leddicotte). Summary of *STP* 308, 1028.
- Radioactive tracer technique, standard leak rates (Maurer). Summary of *STP* 300, 1429.

- Radiography, in-motion, of Sergeant missile motor casing (Rodgers), *MR&S*, July, 537.
- Radioisotopes  
report of Committee E-10, 646.  
tracer techniques in contamination studies (Bulat). Summary of *STP* 300, 1429.
- Rapid-rate testing at high temperatures (Bernett and Gerberich). Summary of *STP* 303, 1027.
- Reactors, plastic shielding for (random samples), *MR&S*, Sept., 748.
- Reflectance paper. Report of Committee E-12, 649.
- Refractory fuel compounds, symposium on radiation effects in refractory fuel compounds. Summary of *STP* 306, 1425.
- Refractories. Report of Committee C-8, 407.
- Release rate of xenon-133 (Toner and Scott). Summary of *STP* 306, 1425.
- Repko, A. J., Jones M. H., and Brown, W. F., Jr.: Influence of sheet thickness on sharp-edge-notch properties of a  $\beta$  titanium alloy at room and low temperatures. Summary of *STP* 302, 1026.
- Research, and graduate study (materials sciences), *MR&S*, Dec., 996; research goals (ACR notes), (Gonser), *MR&S*, Feb., 133.
- Resonance frequencies, calculating elastic moduli (Spinner and Tefft), 1221 (*R*). Disc., 1238.
- Response, dynamic, testing model footings (Alai). Summary of *STP* 305, 1305.
- Reuther, T. C., Shahinian, P., and Achter, M. R.: Anomalous fracture in the creep of nickel, 956. Disc., 967.
- Reyling, G., see Quaglia, L., Byrne, J., and Keyling, G.
- Reymond, Donald C.: Effect of U-notch depth on impact resistance under simple beam loading. Summary of *STP* 302, 1026.
- Reynolds, E. E., discussion, 930.
- Rheingans, William J.: Cavitation in hydraulic turbines. Summary of *STP* 307, 1426.
- Rice, J. K.  
discussion, 1421.  
symposium on impurities in steam, introduction, 1369.
- Richards, J. W., see Feder, D. O., Howden, W. E., Huff, D. R., and Richards, J. W.
- Riley, W. F., see Durelli, A. J., and Riley, W. F.
- Risk, T. H., and Cleveland, A. E.: Present and future requirements of motor gasoline to meet needs for satisfactory engine performance. Summary of *STP* 298, 1427.
- Ritchie, T.: Investigating moisture penetration and bond strength of brick masonry, *MR&S*, May, 360.
- Riveted joints, creep deformation (Marin), 931. Disc., 937.
- Road and Paving  
papers on road and paving materials and symposium on microviscometry. Summary of *STP* 309, 1306.  
report of Committee D-4, 489.
- Robertson, A. F., see Loftus, J. J., Gross, D., and Robertson, A. F.
- Robertson, J. A. L.: Some consequences of excess oxygen in  $\text{UO}_2$ . Summary of *STP* 306, 1425.
- Robinson, H. E., see Powell, F. J., and Robinson, H. E.
- Robledo, R. S., see Giuliani, F., and Robledo, R. S.
- Rodgers, E. H.: In-motion radiography of Sergeant missile motor casing, *MR&S*, July, 537.
- Rogers, Mal D.: Purification, distribution, control, and monitoring of high-purity gases for electron device processing. Summary of *STP* 300, 1429.
- Roofing, See Bituminous materials.
- Roofs  
insulated flat, effect of moisture on heat transfer (Powell and Robinson). Summary of *STP* 312, 1431.  
loading tests (Thorburn and Schreiber). Summary of *STP* 312, 1431.
- Rosenberg, S. J., see Carwile, N. L., et al.
- Rosenberg, S. J., and Royston, T. P.: Stainless steel for standard weights, *MR&S*, Jan., 21.
- Rosin, removal from printed circuit boards (Smallwood). Summary of *STP* 300, 1429.
- Rotating cylinder viscometer, for gelled materials (Russell). Summary of *STP* 299, 1428.
- Rotational viscometer, with high shear rate (Bonner and Gyer). Summary of *STP* 299, 1428.
- Rough, F. A.  
see Freas D. G., Austin, A. E., and Rough, F. A.  
see Melehan, J. B., and Rough, F. A.
- Royston, T. P., see Rosenberg, S. J., and Royston, T. P.
- Rowe, R. D., see Selig, E. T., and Rowe, R. D.
- Rubber  
effect of temperature on air aging of rubber vulcanizates (Juve and Schoch, Jr.), *MR&S*, July, 542.  
nuclear radiation effects (Born), *MR&S*, April, 280.  
report of Committee D-11, 523.  
sinusoidal strain dynamic testing (Payne), *MR&S*, Dec., 942.  
vulcanized elastomers, compression set testing (King and Harding). See *STP* 311.
- Rubright, M. M.: Stoichiometry of vaporous carry-over of sodium chloride from high pressure boiler water, 1370.
- Rupp, R. L., see Morrison, George H., and Rupp, R. L.
- Rupture properties, copper-base alloys (Moon and Simmons), 938.
- Russell, R. J.: Rotating cylinder viscometers for gelled materials. Summary of *STP* 299, 1428.
- Russell effect (materials sciences), *MR&S*, April, 312.

## S

- Saltzman, M. N., see Váradi, P. F., Langer, H. A., and Saltzman, M. N.

- Sampling  
 impurities in steam sampling lines (Cobb and Coulter), 1386.  
 probability methods for wool (Louis Tanner), *MR&S*, March, 172.
- Sand, air-entrainment of standard Ottawa sand (discussion) (Curry), *MR&S*, Feb., 111; (Griffith, DeFore) *MR&S*, Oct., 801.
- Sands, J. W., discussion, *MR&S*, April, 286.  
 Sandwich construction, *see* Construction.
- Santucci, L. E., and Schmidt, R. J.: Immediate core volume by presaturation. Summary of *STP* 309, 1306.
- Sarle, N. P., *see* Wikle, K. G., and Sarle, N. P.
- Sawyer, G. A., *see* Buchsbaum, S. J., and Sawyer, G. A.
- Saybolt furol viscometer, viscosity determinations (Adam). Summary of *STP* 309, 1306.
- Science Advisory Committee, science, the universities, and the federal government (materials sciences), *MR&S*, Feb., 132.
- Schemel, J. H., discussion, 829.
- Schimmel, D. G.: Detection of inorganic contamination on surfaces by an emf measurement. Summary of *STP* 300, 1429.
- Schjodt, R., discussion, *MR&S*, Feb., 103.
- Schmertmann, John H., discussion, 1271.
- Schmid, Werner E., discussion, 1266.
- Schmidt, R. J.  
*see* Hein, T. C., and Schmidt, R. J.  
*see* Santucci, L. E., and Schmidt, R. J.
- Shock, M. G., Jr., *see* Juve, A. E., and Shock, M. G., Jr.
- Schriever, W. R., *see* Thorburn, H. J., and Schriever, W. R.
- Schuetz, E. H., discussion, 787.
- Schuetz, H. J., *see* Dlouhy, F., and Schuetz, H. J.
- Schwartz, A. M., discussion, *MR&S*, Jan., 14.
- Schwartzberg, F., *see* Markovich, R., and Schwartzberg, F.
- Scott, J. L., *see* Toner, D. F., and Scott, J. L.
- Sealants, joint. Report of Committee C-24, 455.
- Seals. Report of Subcommittees III and V of Committee F-1, 672.
- Seebold, R. E., *see* Birks, L. S., and Seebold, R. E.
- Selby, Theodore W.:  
 ASTM investigation of low-temperature viscosity of engine oils. Summary of *STP* 299, 1428.  
 introduction. Summary of *STP* 299, 1428.
- Selby, Theodore W., and Hunstad, Norman, A.: The forced-ball viscometer and its application to the rheological characterization of mineral oil systems. Summary of *STP* 299, 1428.
- Selig, E. T.: Technique for observing structure-soil interaction, *MR&S*, Sept., 717.
- Selig, E. T. and Rowe, R. D.: A study of artificial soils, 1288.
- Semchyshen, M.  
 discussion, 756, 787.  
*see* Barr, R. Q., Semchyshen, M., and Timmons, G. A.
- Semiconductor devices. Report of Committee F-1, 669.
- Semiconductor devices and electron tubes. Report of Committee F-1, 669.
- Sensitivity  
 extension in impurities analysis (Stevens). Summary of *STP* 308, 1028.  
 measurement of clays (Eden and Kubota), 1239.  
 symposium on extension of sensitivity for determining various constituents in metals. Summary of *STP* 308, 1028.
- Separations, analysis (Hague). Summary of *STP* 308, 1028.
- Sereda, P. J.: Characteristics of moisture deposition on corrosion specimens, *MR&S*, Sept., 719.
- Serensen, S. V. and Shneiderovitch, R. M. Elastoplastic cyclic deformation and low-cycle fatigue, 789.
- Sessler, John G., *see* Weiss, Volker, and Sessler, John G.
- Shahinian, P., *see* Reuther, T. C., Shahinian, P., and Achter, M. R.
- Sharp-edge-notch properties of  $\beta$  titanium alloys at room and low temperatures (Repko, Jones, and Brown, Jr.). Summary of *STP* 302, 1026.
- Shear creep  
 deformation of structural joints (Marin), 931. Disc., 937.  
 determination in sheet metals (Kattus and Lessley), 920. Disc., 930.
- Shear rate  
 polymer viscosity (Merrill). Summary of *STP* 299, 1428.  
 rotational viscometer (Bonner and Gyer). Summary of *STP* 299, 1428.
- Shear strength of sensitive clay (Crawford), 1250 (R). Disc., 1266.
- Shearing resistance, clay, sensitive (Crawford), 1250 (R). Disc., 1266.
- Sheet alloys, notch properties (Weiss and Sessler). Summary of *STP* 302, 1026.
- Sheet, tape, and tubing, flexible. Report of Subcommittee VII of Committee D-9, 518.
- Sheet materials  
 high-strength, fracture testing of (Low, Jr., et al), *MR&S*, Nov., 877.  
 plastic flow properties of tension test specimens (Nunes and Larson), 1349.
- Shenkman, S., and McKee, K. E.: Bearing capacities of dynamically loaded footings. Summary of *STP* 305, 1305.
- Shepherd, H. G., *see* Donachie, Matthew, J., Jr., and Shepherd, H. G.
- Shimmin, K. D., *see* Hill, W. H., Shimmin, K. D., and Wilcox, B. A.
- Shneiderovitch, R. M., *see* Serensen, S. V., and Shneiderovitch, R. M.
- Shobert, E. L., II: Dry friction (ACR notes), *MR&S*, June, 488.
- Shombert, G., Jr., discussion, *MR&S*, April, 276.
- Shoub, Harry: Early history of fire endurance testing in the U. S. Summary of *STP* 301, 45.
- Shrinkage, volume changes in concrete (Swayze),

- Shrinkage (*continued*)  
*MR&S*, Sept., 700; Disc. (Tremper, Kaver, Swayze), *MR&S*, Sept., 704.
- Silicate, laboratory preparation of high-purity tricalcium silicate (Polivka, Klein, and Best), *MR&S*, July, 524.
- Silicones, light bulb made shatterproof with silicones (random sample), *MR&S*, July, 490.
- Siltanen, J. N., see Gerhart, J. M., Siltanen, J. N., and Cochran, J. S.
- Simmons, W. F., see Moon, D. P., and Simmons, W. F.
- Sinamon, G. K., and Newmark, N. M.: Facilities for dynamic testing of soils. Summary of *STP 305*, 1305.
- Sinter, in radiation environment (Aitken). Summary of *STP 306*, 1425.
- Size, section  
 effect on tensile properties of Zircaloy (Ames), 820. Disc., 829.  
 titanium alloy as a function (Hickey, Jr.), 866.  
 Skid resistance. Report of Committee E-17, 666.
- Skoglund, R. D., see Kohl, G. A., and Skoglund, R. D.
- Slags, see Blast furnace and Steel.
- Sloan, R. C., see Cunny, R. W., and Sloan, R. C.
- Smalley, A. K., see Johnson, D. E., et al.
- Smallwood, Jack E.: Removal of water-soluble flux from assembled printed circuit boards. Summary of *STP 300*, 1429.
- Smith, C. A., and Manns, T.: An approach to control of transistor processing environments. Summary of *STP 300*, 1429.
- Smith, Clarence R., discussion, 697, 787.
- Smith, G. M., and Albee, D.: Nonlinear differential equation for the evaluation of solid damping, 1362.
- Smith, H. H., see Danek, G. J., Smith, H. H., and Achter, M. R.
- Smith, Harold M.  
 Effects of small amounts of extraneous materials on properties of petroleum, petroleum products, and related liquids. Summary of *STP 304*, 1424.  
 introduction. Summary of *STP 298*, 1427.
- Smith, W. J.: Creativity—a valuable state of mind (ACR notes), *MR&S*, July, 580.
- Soaps and detergents. Report of Committee D-12, 530.
- Sodium chloride, carry-over from high pressure boiler water (Rubright) 1370.
- Soils  
 artificial (Selig and Rowe), 1288.  
 compressive strength values in soil-additive strength determinations (David, Davidson, and O'Flaherty), *MR&S*, Dec., 947.  
 determination of montmorillonite (Glenn and Handy), 1277 (*R*). Disc., 1287.  
 erosion test (Inderbitzen), *MR&S*, July, 553.  
 fly ash use (Vincent, Mateos, and Davidson), 1094 (*R*).  
 frost heaving (Marburg Lecture) (Chalmers).  
 new scheme of classification (Handy), *MR&S*, Dec., 973.  
 report of Committee D-18, 558.
- symposium on soil dynamics. Summary of *STP 305*, 1305.  
 technique for observing structure-soil interaction (Selig), *MR&S*, Sept., 717.  
 why soil dynamics? (Bernhard), *MR&S*, Jan., 31.
- X-ray diffraction pattern data (Glenn and Handy), 1277 (*R*). Disc., 1287.
- Solder flux removal, modular electrical components (Stern). Summary of *STP 300*, 1429.
- Solid damping, nonlinear differential equation (Smith and Albee), 1362.
- Solid particles in fluid stream (Finnie). Summary of *STP 307*, 1426.
- Solvents  
 halogenated organic. Report of Committee D-26, 596.  
 vapor degreasing handbook. Summary of *STP 310*, 1432.
- Sonic cleaning, effects of transducer parameters (Lyons). Summary of *STP 300*, 1429.
- Space radiation, task group studying effects on material, *MR&S*, March, 207.
- Space research  
 Ad astra (editorial), *MR&S*, Sept., 699.  
 Materials in space (materials sciences), *MR&S*, Oct., 819.  
 What price green cheese? (editorial), *MR&S*, March, 200.
- Spark source mass spectrometry, impurities analysis (Stevens). Summary of *STP 308*, 1028.
- Specialization. Pros and amateurs (editorial), *MR&S*, July, 523.
- Specifications and the law (Layle), *MR&S*, April, 291.
- Specifications? (Gillett Memorial Lecture) (Kinzel).  
 Specific gravity of viscous materials, measuring (Ashton), *MR&S*, July, 549.
- Spectrochemical analysis  
 blast furnace and steelmaking techniques, 624.  
 indium-gallium alloys, 620.
- Spectrometer, gas content in processing, investigation (Frost). Summary of *STP 300*, 1429.
- Spectroscopy  
 absorption. Report of Committee E-13, 651; proposed recommendations (Appendix), 653.  
 analysis of blast furnace and steelmaking slags (Appendix II), Report of Committee E-2, 624.  
 analysis of indium-gallium alloys (Appendix I), Report of Committee E-2, 620.  
 emission.  
 report of Committee E-2, 615.  
 emission  
 ultratrace (Morrison and Rupp). Summary of *STP 308*, 1028.
- Speight, F. Y., editorial, *MR&S*, July, 523.
- Spinner, Sam, discussion, 906.
- Spinner, S., and Tefft, W. E.: A method for determining mechanical resonance frequencies and for calculating elastic moduli from these frequencies, 1221 (*R*). Disc., 1238.
- Spitzer, Robert, and Corten, H. T.: Effect

- of loading sequence on cumulative fatigue damage of 7075-T6 aluminum alloy, 719 (R).
- Spretnak, J. W.**, see Hook, R. E., et al.
- Srawley, J. E., and Beachem, C. D.**: Fracture of high-strength sheet steel specimens containing small cracks. Summary of *STP 302*, 1026.
- Setting control, calcium sulfate test in portland cement (Kennedy), 1035. Disc., 1038.
- Stability, gasoline, future methods and specifications (Bender). Summary of *STP 298*, 1427.
- Static loadings, performance of embedded pressure gages (Durelli and Riley). Summary of *STP 305*, 1305.
- Stainless steel
- bulge test for mechanical properties of foil (Ballard), *MR&S*, June, 471.
  - cast, properties at cryogenic temperatures (Hall). Summary of *STP 302*, 1026.
  - elevated temperature characteristics (Lu, Trubert, and Nash), 1008.
  - fatigue in air and vacuum (Danek, Smith, and Achter), 775 (R). Disc., 787.
  - fatigue propagation (Holshouser and Utech), 749 (R). Disc., 755.
  - for standard weights (Rosenberg and Royston), *MR&S*, Jan., 21.
  - report of Committee A-10, 183.
  - strain strengthening (Hammer, Jr., Stemmann, and Weismantel), 809. Disc., 817.
  - stress-rupture tests at 1350 F on type 304 (Jenkins, Willard, and Youden), *MR&S*, Feb., 104.
  - tensile ratios and fatigue of welded joints (Watson, Christian, Tanalski, and Hurlich). Summary of *STP 302*, 1026.
  - unsullied by time, elements, *MR&S*, Nov., 896.
- Standing, S. A.**: Foreword. Symposium on materials and electron device processing, Summary of *STP 300*, 1429.
- Starr, C. Dean, Wang, T. P., and Hofacker, K. A.**: Effect of heat treatment and plastic deformation on electrical properties of a modified nickel-chromium alloy, 831.
- Statistics
- analysis of planned experiments (Terry), *MR&S*, April, 273.
  - experimental design and ASTM committees (Youden), *MR&S*, Nov., 862.
  - how to evaluate accuracy (Youden), *MR&S*, April, 268.
  - how to evaluate precision (Connor), *MR&S*, April, 272.
  - interpreting preliminary measurements (ACR notes) (Youden), *MR&S*, Dec., 987.
  - meaning of precision and accuracy (Murphy), *MR&S*, April, 264.
  - reminder: look before you leap (editorial), *MR&S*, Nov., 861.
  - errors in measurement (Cobb and Coulter), 1386.
  - impurities from high-pressure boilers (Ulmer and Klein), 1396. Disc., 1412.
  - introduction (Rice), 1369.
  - vaporous carry-over (Rubright), 1370.
- Steam power, report on stainless steel superheater tubing (Appendix II), Joint ASTM-ASME Committee, 382.
- Steel
- accumulation of fatigue damage (Erickson and Work), 704 (R). Disc., 717.
  - apparatus for controlled slack quenching (Carwile, Myerson, and Rosenberg), *MR&S*, July, 532.
  - bending fatigue after stress (Manson, Nachtigall, and Freche), 679 (R). Disc., 692.
  - concrete reinforcing, brittle fracture (Tarr). Summary of *STP 302*, 1026.
  - corrosion resistant in steels installations (Appendix), Report of Committee A-10, 188.
  - corrosion resisting. Report of Committee A-10, 183.
  - dynamic modulus measurement (Hill, Shimin, and Wilcox), 890. Disc., 906.
  - effect of section size on notch properties (Klier and Weiss), 1307 (R).
  - electrical. Report of Committee A-6, 160.
  - ferritic welded for low-temperature service (Wells). Summary of *STP 302*, 1026.
  - fractographic analysis of casings (Tiner), 800 (R).
  - high-strength, load-carrying ability (Manning). Summary of *STP 302*, 1026.
  - improved fracture toughness (Hodge). Summary of *STP 302*, 1026.
  - low-temperature tensile-hardness correlations for SAE 4340 steel (discussion), (Sands, Nunes), *MR&S*, April, 286.
  - organic carbon on surface of steel sheets (Boggs and Pellissier), *MR&S*, Aug., 627.
  - panels, metallic coated, atmospheric corrosion of (Appendix I), Report of Committee A-5, 136.
  - recommendations affecting standards (Appendix I), Report of Committee A-1, 109.
  - report of Committee A-1, 103.
  - report of Committee A-3, 130.
  - sheet containing cracks, fracture (Srawley and Beachem). Summary of *STP 302*, 1026.
  - stainless, see Steel, stainless.
  - subsize Charpy correlation with standard Charpy (Curl), *MR&S*, Feb., 91.
  - suggested method of testing uncoated seven-wire stress-relieved strand for prestressed concrete (Appendix II), Report of Committee A-1, 126.
  - superheater tubing (Appendix II), Report of Joint ASTM-ASME Committee, 382.
- Steelmaking slags, spectrochemical analysis (Appendix II), 624.
- Stein, P.**, discussion, *MR&S*, Jan., 15.
- Stemmann, Leonard G.**, see Hammer, Walter, Jr., Stemmann, Leonard G., and Weismantel, E. E.
- Stern, Herman A.**: Gas-phase proportional counting: A radiotracer technique for examination of electronic components and materials. Summary of *STP 300*, 1429.

- Stevens, C. M.:** Extension of sensitivity in analysis of impurities in solids by mass spectrometry. Summary of *STP 308*, 1028
- Stiegler, J. O.,** see Noggle, T. S., and Stiegler, J. O.
- Stiffening,** premature, portland cement (Hansen), 1029.
- Stiffness,** changes in superconductive metals (random samples), *MR&S*, July, 600.
- Stones,** see Building stones.
- Storage tanks,** cryogenic, industrial (Marsh). Summary of *STP 302*, 1026.
- Strain**  
 accuracy problems at rapid rates of mechanical testing (Fenn and Moore), *MR&S*, Oct., 804.  
 bending, high-temperature measurements (Danek, Smith, and Achter), 775 (*R*). Disc., 787.  
 convenient way to find natural logarithms is useful for true strain values (Crum), *MR&S*, Dec., 967.  
 distribution, compressively loaded concrete (Keeton), 1197. Disc., 1220.  
 influence on shearing resistance of sensitive clay (Crawford), 1250 (*R*). Disc., 1266.  
 measurements of components (Theocaris), 838 (*R*).  
 rate, molybdenum (Barr, Semchyshen, and Timmons), 847.  
 rate, steel at elevated temperature (Lu, Trubert, and Nash), 1008.  
 resistance strain gages at elevated temperatures (Bloss), *MR&S*, Jan., 9.  
 strengthening of stainless steel (Hammer, Jr., Stemann, and Weismantel), 809. Disc., 817.
- Stremba, H. J.:** Metals application problems solved by joint action, *MR&S*, Sept., 731.
- Strength**  
 bond, of brick masonry (Ritchie), *MR&S*, May, 360.  
 bulge test for mechanical properties of stainless steel foil (Ballard), *MR&S*, June, 471.  
 determination of mechanical properties of elemental sulfur (Dale), *MR&S*, Jan., 23; discussion (Woods, Kosting, and Dale), *MR&S*, Sept., 716.  
 elevated temperatures on mechanical properties of type H-7213 Micarta (Astrokon (Lu and Nash), *MR&S*, Oct., 788.  
 hardness-tensile strength conversion for Rockwell hardness, C scale (Davidson, et al), *MR&S*, June, 448.  
 high, of austenitic materials, production (Hammer, Jr., Stemann, and Weismantel), 809. Disc., 817.  
 low-temperature tensile-hardness correlations for SAE 4340 steel (discussion) (Sands and Nunes), *MR&S*, April, 286.
- Stress**  
 biaxial noncohesive soils subjected to vibratory loads (Bernhard). Summary of *STP 305*, 1305.  
 corrosion cracking test for copper alloys (Thompson), *MR&S*, Feb., 108.  
 creep fracture of nickel (Reuther, Shahinian, and Achter), 956. Disc. 967.  
 cyclic bending, fatigue life (Manson, Nachtigall, and Freche), 679 (*R*). Disc., 692.  
 deformation of silt under oscillating direct-shear forces (Converse). Summary of *STP 305*, 1305.  
 fatigue damage in steel (Erickson and Work), 704 (*R*). Disc., 717.  
 fatigue damage of steel (Spitzer and Corten), 719 (*R*).  
 intensity factor (Srawley and Beachem). Summary of *STP 302*, 1026.  
 relaxation, in tension or compression (Gohn and Fox), *MR&S*, Dec., 957.  
 rupture data with functions derived by least-squares method (Stutzman and Walker), *MR&S*, June, 460; tests at 1350 F on type 304 stainless steel (Jenkins, Willard, and Youden), *MR&S*, 104.  
 shear strength parameters of sensitive clay (Crawford), 1250 (*R*). Disc., 1266.  
 static triaxial, effect on damping capacity (Weissmann and Hart). Summary of *STP 305*, 1305.  
 see also Fatigue.
- Stress-strain curve**  
 biaxial for light metals (Markovich and Schwartzberg). Summary of *STP 302*, 1026.  
 for metals (Serensen and Shneiderovitch), 789.
- Stressed volume,** concept in fatigue (Kuguel), 732 (*R*). Disc., 747.
- Strott, A.,** see Hessinger, P., Strott, A., and Haura, B.
- Structural joints,** creep deformation (Marin), 931. Disc., 937.
- Structure-soil interaction,** technique for observing (Selig), *MR&S*, Sept., 717.
- Student memberships,** *MR&S*, July, 573.
- Stutzman, M. J., and Faber, J. W.:** Expression of stress-rupture data with functions derived by the least-squares method, *MR&S*, June, 460.
- Styrene-butadiene rubber.** Report of Committee D-11, 523.
- Sulfamic acid cleaning,** electron tube parts (Ettler). Summary of *STP 300*, 1429.
- Sulfur,** determination of mechanical properties (Dale), *MR&S*, Jan., 23; (discussion) (Woods, Kosting, and Dale), *MR&S*, Sept., 716.
- Sulfate resistance,** significance of tests (Lerch), 1043. Disc., 1049.
- Sunspot correlation with pipeline voltages** (random samples), *MR&S*, March, 232.
- Superconductivity**  
 new alloys (materials sciences), *MR&S*, June, 486.  
 new superconductor (random samples), *MR&S*, Aug., 668.  
 stiffness changes in metals (random samples), *MR&S*, July, 600.
- Surfaces,** importance of (ACR notes) (Dolch), *MR&S*, Aug., 666.
- Surkevicius, H.:** Chlorides in gypsum, *MR&S*, Aug., 624.
- Swayze, Myron A.:** Flexural strength of hydraulic cement mortars, 1051, Disc., 1057;



- Volume changes in concrete, *MR&S*, Sept., 700.
- Symonds, G. H.:** Pressure-differential testing of tubing, *MR&S*, July, 539.
- Synthetic rubber. Report of Committee D-11, 523.
- T**
- Tabulations, how big is your appetite (editorial) *MR&S*, Aug., 263.
- Tanalski, T. T.,** see Watson, J. F., Christian, J. L., Tanalski, T. T., and Hurlich, A.
- Tanks, cryogenic  
fracture toughness of sheet alloys (Espey, Jones, and Brown, Jr.). Summary of *STP* 302, 1026.  
industrial for storage (Marsh). Summary of *STP* 302, 1026.
- Tanner, L.:** Probability sampling methods for wool, *MR&S*, March, 172.
- Tape, flexible. Report of Subcommittee VII of Committee D-9, 518.
- Tarr, Allan L.:** Brittle fracture transition of some concrete reinforcing steels. Summary of *STP* 302, 1026.
- Tatman, Phil J.,** see Carlson, C. C., and Tatman, Phil J.
- Taylor, J. H.:** Aids for Ramsbottom carbon residue test, *MR&S*, Aug., 626.
- Technical societies, role of (Lorig), *MR&S*, March, 201.
- Tefft, W. E.,** see Spinner, S., and Tefit, W. E.
- Temperature  
effects on notch strength (Weiss and Sessler). Summary of *STP* 302, 1026.  
cryogenic, welded joints in steel (Watson, Christian, Tanalski, and Hurlich). Summary of *STP* 302, 1026.  
elevated, compression testing (Breindel, Carlson, and Holden); (Papierno and Gerard) Summary of *STP* 303, 1027.  
elevated, compressive strength of magnesium alloy (Fenn, Jr.). Summary of *STP* 303, 1027.  
high, rapid-rate compression testing (Bernett and Gerberich). Summary of *STP* 303, 1027.  
low, engine oil viscosity (Selby). Summary of *STP* 299, 1428.  
low and room, sharp-edge-notch properties of  $\beta$  titanium alloy (Repko, Jones, and Brown, Jr.). Summary of *STP* 302, 1026.  
low, viscosity of engine oils (Appendix). Summary of *STP* 299, 1428.  
low, viscosity of motor oils (Kohl and Skoglund). Summary of *STP* 299, 1428.
- Temperature effect, see Section of Papers on Effect of Temperature, pp. 890 to 1025.
- Tensile and impact tests, steel (Hall). Summary of *STP* 302, 1026.
- Tensile properties, effects of section size and test condition of zircaloy (Ames), 820. Disc., 829.
- Tensile ratios and fatigue, welded joints in steel at cryogenic temperatures (Watson, Christian, Tanalski, and Hurlich). Summary of *STP* 302, 1026.
- Tensile-strength-hardness-correlation of titanium alloys (Hickey, Jr.), 857.
- Tension testing  
cryostat and accessories for testing at -423 F (Watson and Christian), *MR&S*, Feb., 87.  
elongation in sheet tension specimens (Kula and Fahey), *MR&S*, Aug., 631.  
fracture characteristics of notched tensile specimens of titanium (Geil and Carwile), *MR&S*, Jan., 16.  
indirect tension test for concrete (Mitchell), *MR&S*, Oct., 780.  
plastic flow properties (Nunes and Larson), 1349.  
tensile cryostat for temperature range 4 to 300 K (McClintock and Warren), *MR&S*, Feb., 95.
- Templin award to E. A. Neppiras, *MR&S*, July, 572.
- Terry, M. E.:** Analysis of planned experiments, *MR&S*, April, 273.
- Testing, methods. Report of Committee E-1, 606.
- Tetramethyl ammonium stannic chloride, preparation of (Appendix I) (Glenn and Handy), 1286.
- Tex system. Report of Committee D-13, 534.
- Textiles  
identification and quantitative determination of natural and manufactured fibers (Praeger), *MR&S*, May, 381.  
recommendations affecting standards (Appendix to D-13 report), 536.  
report of Committee D-13, 534.
- Theocaris, P. S.:** Variation of poisson's ratio in the elasto-plastic domain of metals, 838 (R).
- Theoretical stress concentration factor (Kuguel), 732 (R). Disc., 747.
- Thermal conductivity test on insulating materials (Norris and Fitzroy), *MR&S*, Sept., 727.
- Thermal insulation, see Insulation.
- Thermal properties. Report of Committee D-20, 574.
- Thermonuclear fusion reactor, effects in plasma physics and technology (Buchsbaum, and Sawyer). Summary of *STP* 304, 1424.
- Thermoplastic materials. Report of Subcommittee XV of Committee D-20, 583.
- Thermosetting materials. Report of Subcommittee XVI of Committee D-20, 583.
- Thermostat metals  
bibliography and abstracts. See *STP* 288.  
report of Committee B-4, 229.
- Thermostats. Report of Committee B-4, 229.
- Thickness  
 $\beta$  titanium alloy sheet, influence on sharp-edge-notch properties (Repko, Jones, and Brown, Jr.). Summary of *STP* 302, 1026.  
electromagnetic determination of nickel thickness for re-entry vehicle heat sinks (Lo-Pilato and Hastings), *MR&S*, Mar., 188.  
floor coverings, methods for measuring (Horowitz, Mandel, Capott, and Boone), *MR&S*, Feb., 99.



- Thickness (*continued*)  
fracture of laminated structures (Bluhm), 1332.  
fracture toughness (Bluhm), 1324, 1332.  
Thin film oven test, changes in asphalt viscosities (Halstead and Zenewitz). Summary of *STP* 309, 1306.  
**Thomas, A.**, discussion, *MR&S*, Aug., 630.  
**Thomas, C. O., Craft, W. H., and Koontz, D. E.**: Elimination of contaminants from elec- tron tube components: automation of chemical processing. Summary of *STP* 300, 1429.  
**Thompson, D. H.**: Stress-corrosion-cracking test for copper alloys, *MR&S*, Feb., 108.  
**Thorburn, H. J., and Schriever, W. R.**: Loading tests on full-scale house roofs. Summary of *STP* 312, 1431.  
**Thorvaldson, T.**, discussion, 1049.  
Thread. Report of Committee D-13, 534.  
Tile, organic adhesives for setting ceramic tile (Fitzgerald, Wagner, and Bernett), *MR&S*, Mar., 196.  
**Timmons, G. A.**, see Barr, R. Q., Semchysen, M., and Timmons, G. A.  
**Tiner, N. A.**: Fractographic analysis of AISI 4340 steel by optical and electron microscopy, 800 (*R*).  
Titanium  
 $\beta$ , influence of sheet thickness on sharp-edge-notch properties (Repko, Jones, and Brown, Jr.). Summary of *STP* 302, 1026.  
effect of section size on notch properties (Klier and Weiss), 1307 (*R*).  
fracture characteristics of notched tensile specimens (Geil and Carwile), *MR&S*, Jan., 16.  
Titanium alloys  
dynamic modulus measurement (Hill, Shimmin, and Wilcox), 890. Disc., 906.  
mechanical properties (Hickey, Jr.), 866.  
tensile-strength-hardness-correlation (Hickey, Jr.), 857.  
**Toner, D. F., and Scott, J. L.**: Study of factors controlling the release of xenon-133 from bulk  $UO_2$ . Summary of *STP* 306, 1425.  
**Toolin, Parks**, discussion, 717.  
Tooling plastics. Report of Subcommittee XXII of Committee D-20, 586.  
**Topol, G.**, see Gardner, L., and Topol, G.  
Tour award, to A. K. Graham, H. L. Pinkerton, *MR&S*, July, 571.  
Trace constituents, Symposium on extension of sensitivity for determining various constituents in metals. Summary of *STP* 308, 1028.  
Trace elements  
radioactivation analysis (Leddicotte). Summary of *STP* 308, 1028.  
ultratracer emission spectroscopy (Morrison and Rupp). Summary of *STP* 308, 1028.  
TRADEX, model footing data (Alai). Summary of *STP* 305, 1305.  
Transducer parameters, sonic cleaning (Lyons). Summary of *STP* 300, 1429.  
Transverse shear creep deformations, joints, prediction (Marin), 931. Disc., 937.  
**Tremper, Bailey**, discussion, 1057; discussion, *MR&S*, Sept., 704.  
Tricalcium silicate, laboratory preparation of high-purity (Polivka, Klein, and Best), *MR&S*, July, 524.  
**Trubert, Marc**, see Lu, S. Y., Trubert, Marc, and Nash, William A.  
Tubing  
flexible. Report of Subcommittee VII of Committee D-9, 518.  
pressure-differential testing (Symons), *MR&S*, July, 539.  
Turbines  
blade erosion (DeCorso and Rothmann). Summary of *STP* 307, 1426.  
hydraulic, erosion and cavitation (Rheingans). Summary of *STP* 307, 1426.  
Turbine fuels. Report of Committee D-2, 472.  
**Turner, H. C.**: Introduction. Summary of *STP* 303, 1027.  
Typewriter ribbons. Report of Committee E-12, 649.
- U
- Ulmer, R. C., and Klein, H. A.**: Impurities in steam from high-pressure boilers, 1396. Disc., 1412.  
Unconfined compression test, measuring sensitivity of clays (Eden and Kubota), 1239.  
Uniformity, concrete, large batches (Bloem, Gaynor, and Wilson), 1119 (*R*). Disc., 1141.  
U-notch depth, effect on impact resistance (Reymond). Summary of *STP* 302, 1026.  
Upholstery leather. Report of ALCA-ASTM Joint Committee, 602.  
Uranium dioxide, irradiated fuel cores (Bates). Summary of *STP* 306, 1425.  
Uranium monocarbide, irradiation damage (Freas, Austin, and Rough). Summary of *STP* 306, 1425.  
Uranium oxide  
excess oxygen (Robertson). Summary of *STP* 306, 1425.  
films, fission fragment tracks (Noggle and Stiegler). Summary of *STP* 306, 1425.  
fission gas release (Melchan and Rough). Summary of *STP* 306, 1425.  
release of fission gas during irradiation (Carroll). Summary of *STP* 306, 1425.  
release of xenon-133 (Toner and Scott). Summary of *STP* 306, 1425.  
U.S.S.R., research abroad (ACR notes) (Gonser), *MR&S*, Sept., 742.  
**Utech, H. P.**, see Holshouser, W. L., and Utech, H. P.
- V
- Vanadium-titanium alloys, experimental, dynamic modulus measurements (Hill, Shimmin, and Wilcox), 890. Disc., 906.  
**van Luik, F. W., Jr.**: Particulate concentrations in ultraclean rooms. Summary of *STP* 300, 1429.  
Vapor lock, freedom from (Legatski and Bridgeman). Summary of *STP* 298, 1427.  
**Váradi, P. F., Langer, H. A., and Saltzman, M. N.**: Gas composition during pumping and in sealed-off power tubes. Summary of *STP* 300, 1429.

- Varnish, see Paint.
- Vibratory (sinusoidal) loads, biaxial stress in noncohesive soils (Bernhard). Summary of *STP 305*, 1305.
- Vincent, Robert, D., Mateos, Manuel, and Davidson, D. T.: Variation on pozzolanic behavior of fly ashes, 1094 (R).
- Viscometer  
coaxial-cylinder, polymer solutions (Merrill). Summary of *STP 299*, 1428.  
cone-plate application to non-Newtonian systems (Forster and Horowitz). Summary of *STP 299*, 1428.  
forced-ball, application to mineral oil systems (Selby and Hunstad). Summary of *STP 299*, 1428.  
PRL capillary (Klaus, Angeloni, and Fenske). Summary of *STP 299*, 1428.  
rotating cylinder, for gelled materials (Russell). Summary of *STP 299*, 1428.  
rotational with high shear rate (Bonner and Gyer). Summary of *STP 299*, 1428.  
symposium on non-Newtonian viscometry. Summary of *STP 299*, 1428.  
vacuum capillary (Heithaus). Summary of *STP 309*, 1306.
- Viscosity  
low temperature of engine oils (Appendix). Summary of *STP 299*, 1428.  
papers on road and paving materials and symposium on microviscometry. Summary of *STP 309*, 1306.  
testing rotogravure and flexographic ink by Stormer viscometer (Cummings), *MR&S*, Jan., 30.
- Visual appearance, five attribute system of describing visual appearance (Judd). See *STP 297*.
- Voids, irradiated  $UO_2$  (Bates). Summary of *STP 306*, 1425.
- Volatility, fuel evaluation (Legatski and Bridgeman). Summary of *STP 298*, 1427.
- Volume determination in loaded specimens (Kuguel), 732 (R). Disc., 747.
- von Vergen, W.: Developments in test methods for wool, *MR&S*, March, 175.
- Vossen, J. L.: Effects of various cleaning methods on electronic components in the micro-module. Summary of *STP 300*, 1429.
- Vulcanized elastomers, compression set testing (King and Harding). See *STP 311*.
- W**
- Waddell, J. J.: Modern concepts in control of concretes, *MR&S*, June, 452.
- Wagner, H. V., see Fitzgerald, J. V., et al.
- Wagner, T. O., see Getz, J. E., and Wagner, T. O.
- Waits, Robert K., see Noble, Lowell, and Waits, Robert K.
- Walker, S., Bloem, D. L., Gaynor, R. D., and Wilson, J. R.: Centrifuge tests for determining cement content of fresh concrete, *MR&S*, June, 454.
- Walker, Stanton, and Bloem, D. L.: Variations in portland cement—Part 2, 1059.
- Wall, F. J., discussion, 787.
- Wall, F. J., Hengstenberg, T., and Gayley, H. B.: Creep-rupture and fatigue properties of three nickel-base alloys in helium environment, 970.
- Walls  
clay masonry curtain, testing (Monk). Summary of *STP 312*, 1431.  
metal curtain, testing (Koppes). Summary of *STP 312*, 1431.
- Wang, T. P., see Starr, C. Dean, Wang, T. P., and Hofacker, K. A.
- Warner, W. C., see Westover, R. F., and Warner, W. C.
- Warren, K. A., see McClintock, R. M., and Warren, K. A.
- Water  
determination of undissolved water in fuels (Gardner and Topol), *MR&S*, Feb., 112.  
Uncle Sam supplier of heavy water, *MR&S*, Sept., 743.
- Water, industrial  
impurities in steam (Rice), 1369.  
report of Committee D-19, 566.  
vaporous carry-over of sodium chloride from high pressure boiler water (Rubright), 1370.
- Water resistance test. Report of ALCA-ASTM Joint Committee, 602.
- Water vapor  
content. Report of Committee D-3, 487.  
corrosion of beryllium (Browne). Summary of *STP 306*, 1425.  
standard reference sheet for permeance (Joy and Gavan), *MR&S*, Oct., 803.  
transmission testing (Joy, Sherdon, and Gavan), *MR&S*, Feb., 117.
- Waterproofing, see Bituminous mixtures.
- Waters, E. H., discussion, *MR&S*, Feb., 102.
- Waters, E. H., and Birtwistle, R.: Compression testing of gypsum plaster, *MR&S*, May, 374.
- Watson, J. F., and Christian, J. L.: Cryostats for tension testing at  $-423^\circ\text{F}$ , *MR&S*, Feb., 87.
- Watson, J. F., Christian, J. L., Tanalski, T. T., and Hurlich, A.: Correlation of notched: unnotched tensile ratios with tensile fatigue properties of complex welded joints in high-strength 300 series stainless steels at cryogenic temperatures. Summary of *STP 302*, 1026.
- Wax. Report of Committee D-2, 472.
- Wax polishes. Report of Committee D-21, 588.
- Weight, stainless steel for standard weight (Rosenberg and Royston), *MR&S*, Jan., 21.
- Weir, J. R., discussion, 967.
- Weismantel, E. E., see Hammer, Walter, Jr., Stemmann, Leonard G., and Weismantel, E. E.
- Weiss, Volker, see Klier, E. P., and Weiss, Volker.
- Weiss, Volker, and Sessler, John G.: Analysis of effects of test temperature on the notch strength of high-strength sheet alloys. Summary of *STP 302*, 1026.
- Weissmann, G. F., discussion, *MR&S*, Jan., 15.
- Weissman, G. F., and Hart, R. R.: Damping capacity of some granular soils. Summary of *STP 305*, 1305.

- Weather station, isotope-powered automatic, *MR&S*, Sept., 743.
- Welded, ferritic steel for low temperatures (Wells). Summary of *STP 302*, 1026.
- Welds, in-motion radiography of Sergeant missile motor casing (Rodgers), *MR&S*, July, 537.
- Wells, A. A.: Welded ferritic steel construction for intermediate low-temperature service. Summary of *STP 302*, 1026.
- Welter, G., see Dubuc, J., and Welter, G.
- Westover, R. F., and Warner, W. C.: Tensile impact test for plastics, *MR&S*, Nov., 867.
- White, J. J., discussion, 1141, 1154.
- Whitfield, W. J., Marsh, R. C., and Kodel, I. M.: Dust monitoring by the dry slide settling technique. Summary of *STP 300*, 1429.
- Wichers, E.: Pure substances and measurement (ACR notes), *MR&S*, April, 314.
- Wikle, K. G., and Sarle, N. P.: Properties of hardened copper-beryllium strip after exposures to elevated temperatures, 988.
- Wilburn, D. K.: Infrared inspection and measuring techniques, *MR&S*, July, 528.
- Wilcox, B. A., see Hill, W. H., Shimmin, K. D., and Wilcox, B. A.
- Willard, W. A., see Jenkins, W. D., et al.
- Williams, D. N., see Mittenbergs, A. A., Haley, G. D., and Williams, D. N.
- Wilsdorf, H. G. F.: Transmission electron microscopy in fatigue studies, *MR&S*, Aug., 640.
- Wilson, H. I., see Gibson, H. J., and Wilson, H. I.
- Wilson, J. A.: Surface flammability of materials: survey of test methods and comparison of results. Summary of *STP 301*, 45.
- Wilson, J. R., see Bloem, D. L., Gaynor, R. D., and Wilson, J. R.; see also Walker, Stanton, et al.
- Winniford, R. S.: Rheology of asphalt-filler systems as shown by the microviscometer. Summary of *STP 309*, 1306.
- Wire, electrical conductors. Report on Committee B-1, 195; Atmospheric exposure tests (Appendix II), Report of Committee A-5, 140.
- Wolfe, D. O., see Grieb, W. E., and Wolfe, D. O.
- Wood, L. W., see Markwardt, L. J., and Wood, L. W.
- Wood. Report of Committee D-7, 503.
- Wood pole research, ASTM research potential unlimited (Markwardt and Wood), *MR&S*, July, 558.
- Woods, H., discussion, *MR&S*, Sept., 716.
- Wool  
assessment of wool quality (Pohle), *MR&S*, March, 168.  
developments in test methods (Bergen), *MR&S*, March, 175.  
probability sampling methods for wool (Tanner), *MR&S*, Mar., 172.  
report of Committee D-13, 534.  
scientific methods of wool testing, (introduction) (Bauer), *MR&S*, March, 167.
- Work, C. E., discussion, 697.  
see Erickson, W. H., and Work, G. E.
- Workability  
influence of particle-size distribution on strength and workability of vibrated mortar (Giuliani and Robledo), *MR&S*, March, 183.  
masonry mortar (Kampf), *MR&S*, Jan., 7; discussion (Dempsey, Halsted, Mardulier and Kampf), *MR&S*, Oct., 798.
- Wrought copper, see Copper.
- Wrought iron, see Iron, wrought.
- Wyandotte-ASTM (Kuentzel) punch card index. (Appendix), Report of Committee E-13, 653.
- Wyman, L. L., discussion, *MR&S*, July, 548.
- Wyman, L. L., and Penrod, R. E.: Unified grain-size standard, *MR&S*, Aug., 638.
- Wyman, L. L., and Moore, G. A.: Impurity effects in high-purity metals. Summary of *STP 304*, 1424.

## X

- Xenon-133, release from  $UO_2$  (Toner and Scott). Summary of *STP 306*, 1425.
- X-ray, in-motion radiography of Sergeant missile motor casing (Rodgers) *MR&S*, July, 537.
- X-ray diffraction  
determination of soil montmorillonite (Glenn and Handy), 1277 (R). Disc., 1287.  
pattern data for soils (Appendix II) (Glenn and Handy), 1286.

## Y

- Yarn. Report of Committee D-13, 534.
- Yeniscavich, W., see Bleiberg, M. L., Yeniscavich, W., and Gray, R. G.
- Youden, W. J.: Experimental design and ASTM committees, *MR&S*, Nov., 862; How to evaluate accuracy, *MR&S*, April, 268; Interpreting preliminary measurements (ACR notes), *MR&S*, Dec., 987; see also Jenkins, W. D., et al.
- Young, T. R., see Meyerson, M. R., Young, T. R., and Ney, W. R.
- Yukawa, S.: Testing and design considerations in brittle fracture. Summary of *STP 302*, 1026.
- Yurkoski, Frank, discussion, 717, 755.

## Z

- Zenewitz, Joseph A., see Halstead, Woodrow J., and Zenewitz, Joseph A.
- Zinc  
alloy, atmospheric exposure tests (Appendix II), Report of Committee B-6, 273.  
coatings, electroplated, chromate treatments (Appendix II), Report of Committee B-8, 359.  
Report of Committee B-6, 264.
- Zircaloy 2, tensile properties at 600 F (Ames), 820. Disc., 829.

